

RIDGID®

Video Inspection Systems



**SeeSnake® Compact2
& CS6 Pro**



**SeeSnake® MAX rM200
& CS6**

For inspection of small and medium lines from Ø 40 up to 150 mm / 200 mm

The new RIDGID® SeeSnake® Systems allow you to get the perfect, clear view in various residential, commercial or industrial drains, making your life easier and helping you work smarter as never before.

HIGH performance in a compact, durable and light package

MAIN KEY FEATURES:

- **Self-leveling camera** for a crisp, clear, in-pipe image that is always upright.
- **Compact, portable package** for convenient transportation and storage.
- **Docking system** for fast, efficient job setup.
- Outstanding maneuverability from **improved cable design** and camera head.
- **Digital recording** direct-to-USB.
- **SeeSnake® HQ™ Software** to edit, archive, and deliver reports via print, DVD or online.
- Precise locating of the camera with the **built-in Flexmitter sonde.**
- **Integrated microphone and speaker.**
- **New monitor video overlay feature** for adding measurements, date, time.



Water-Resistant Keypad

Daylight Viewable Color LCD Display

New Generation, Flexible Cable – Ø 6 mm, 30 m long

25 mm Self-Leveling Camera



Docking System – Monitor can be released with a half-turn of the quick-release knobs




Transport Handle – to carry the entire inspection system in one hand

Built-in Flexmitter Sonde

Combines portability and versatility to make your drain inspections easy and efficient

CS6Pak monitor has the same features with CS6 and is compatible with all SeeSnake® camera reels. CS6Pak is designed to dock onto Compact 2 reel, while CS6 easily mounts to the SeeSnake® MAX rM200 docking handle.



Integrated Transport Cart – Includes handle and strap for easy transport around job sites

Dockable Monitor System – Works with RIDGID® CS6 Inspection Monitors

Stow Bin – Convenient storage for tools and essentials

Durable Reel Case – Built RIDGID® tough to take day-to-day abuse

25 mm Self-Leveling Camera Head – Easily navigates small diameter lines

SeeSnake® Compact2 CAMERA SYSTEM
EASILY EXAMINE 40 TO 150 MM LINES & ONE-TOUCH DIGITAL RECORDING.

SELF LEVELING
PORTABILITY **VERSATILITY**

SeeSnake® MAX rM200 CAMERA SYSTEM
EASILY EXAMINE 40 TO 200 MM LINES WITH A CAMERA THAT OFFERS A CONSISTENT, UPRIGHT VIEW.



SeeSnake® HQ™ Software to edit, archive, and deliver reports via print, DVD or online



Direct-to-USB Recording (8 GB USB key included)

| Systems Specifications | | SeeSnake® Compact 2 & CS6Pak System | SeeSnake® rM200 & CS6 System |
|------------------------|-----------------------|--|---------------------------------|
| Pipe Capacity | | Ø 40 mm - 150 mm | Ø 40 mm – 200 mm |
| Camera | Type | | 25 mm Self-Leveling |
| | Sonde | | 512 Hz Stand-alone (Flexmitter) |
| Push Cable | Length | 30 m | 61 m |
| | Diameter | 6 mm | 7.5 mm |
| Monitor | Display size & type | 5.7" Color LCD, VGA, 640 x 480 pixels | |
| | Connectivity | USB (8 GB standard included) | |
| | Power source | 18 V 4.0 Li-Ion 4.0 battery or AC adapter (optional) | |
| | Weight | 10 kg | 17 kg |
| Overall dimensions | Length | 62.5 cm | 52.7 cm |
| | Width | 36 cm | 13.8 cm |
| | Height | 43.2 cm | 61.0 cm |
| | HQ Reporting Software | | YES |



Rechargeable 18 V Advanced Lithium 4.0 Battery



AC Battery Adapter (optional)

Ordering Information


| Catalog No. | Model No. | Description | Weight (kg) |
|---|-------------------|---|-------------|
| Compact 2 & CS6Pak System | | | |
| 45168 | CS6Pak | CS6Pak Digital Recording Monitor only (230 V) | 2.6 |
| 45173 | CS6Pak | Kit CS6Pak Digital Recording Monitor with 1× 4.0 A Battery and 1× Charger | 3.8 |
| 48098 | Compact 2 | Compact 2 Reel only (230V) | 7.7 |
| 48118 | Compact 2 System | Kit Compact 2 System with CS6Pak Monitor 1× 4.0 A Battery & 1× Charger | 11.5 |
| rM200 MAX & CS6 Camera System | | | |
| 45148 | CS6 | CS6 Monitor only (230 V) | 1.6 |
| 45153 | CS6 | Kit CS6 Monitor with 1× 4.0 A Battery and 1× Charger | 2.8 |
| 42353 | rM200 MAX | rM200 reel only (transport kit & storage bin included) | 16.4 |
| 47163 | rM200 MAX System | Kit rM200 MAX System with CS6 Monitor & 1× 4.0 A Battery & 1× Charger | 19.2 |
| Accessories (Compatible with all SeeSnake® monitors) | | | |
| 45368 | Adapter | AC Battery Adapter | 0.5 |
| 43328 | Battery | 18 V Advanced Lithium 4.0 A Battery | 0.7 |
| 43333 | Charger | 230 V Advanced Lithium Battery Charger | 0.5 |
| 45433 | Battery & Charger | Set of 2 18 V 4.0 A Batteries & 1× Charger 230 V | 1.9 |



SeeSnake® HQ™ PC Software (Included)

The 8 GB USB drive included with your CS6Pak has HQ software preloaded. Install the included SeeSnake® HQ™ software onto your pc or laptop. Simply import your inspections from your CS6Pak monitor into SeeSnake® HQ™ via USB stick. Edit video and images, fill out detailed job reports, archive and deliver via print, DVD or online.

HQ can be installed on PCs running Windows 7, Windows 8, or Windows 8.1. The software is translated into 18 languages. Register your CS6Pak in HQ's Equipment Locker to receive updates.



For the complete selection of the RIDGID® product line, please refer to the RIDGID Catalog or www.RIDGID.eu.



DISTRIBUTOR



Ridge Tool Europe
Interleuvenlaan 50
3001 Leuven
Belgium

Tel.: +32 (0)16 380 280
Fax: +32 (0)16 380 381
ridgid.info@emerson.com
www.RIDGID.eu

