

SAFETY DATA SHEET INFORMATION

RIDGID Product Name: RIDGID Anti-Seize Grease

RIDGID Product Catalog No.: 48883

Vendor Name: ND INDUSTRIES

Vendor Product Name: Vibra-Tite 9072 Nickel Anti-Seize

Use in RIDGID Products: Used with RIDGID Model B-500

Beveller cutter head insert screws

Restrictions on Use: NA

SDS Information – See following sheets for manufacturer SDS

Ridge Tool Contact Information:

North America	<u>Australia</u>	<u>Europe</u>
Ridge Tool Company	Ridge Tool Australia	Ridge Tool Europe NV (RIDGID)
400 Clark Street	127 Metrolink Circuit	Schurhovenveld 4820
Elyria, Ohio 44035-6001	Campbellfield, VIC 3061	3800 Sint-Truiden, Belgium
1-800-519-3456	1-800-743-443	+32 (0) 11 598 640
www.RIDGID.com	www.RIDGID.com.au	www.RIDGID.eu

Operating Standard: 6-311

Issue Date: 30 April 2015

Revision: A

RIDGE TOOL BELIEVES THE STATEMENTS, TECHNICAL INFORMATION AND RECOM-MENDATIONS CONTAINED HEREIN ARE RELIABLE BUT THEY ARE GIVEN WITHOUT WARRANTY OR GUARANTEE OF ANY KIND, EXPRESSED OR IMPLIED, AND WE ASSUME NO RESPONSIBILITY FOR ANY LOSS, DAMAGE OR EXPENSE, DIRECT OR CONSEQUENTIAL, ARISING OUT OF THEIR USE.





Printing date 04/30/2015 Reviewed on 04/30/2015

1 Identification

- Product identifier

Trade name: Vibra-TITE® Anti-Seize
 Synonyms: 9072 Nickel Anti-Seize

- Part number: VT9072

- Relevant identified uses of the substance or mixture Threaded connection or slide aniti-seize and lubrication

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product safety department

- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Eye Irrit. 2B H320 Causes eye irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms





GHS07 GHS08

- Signal word Warning

- Hazard-determining components of labeling:

nickel powder (particle diameter < 1 mm)

- Hazard statements

H315+H320 Causes skin and eye irritation.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.
P264 Wash thoroughly after handling.
P201 Obtain special instructions before use.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P363 Wash contaminated clothing before reuse.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water.

P405 Store locked up.

Printing date 04/30/2015 Reviewed on 04/30/2015

Trade name: Vibra-TITE® Anti-Seize

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:

P501

- NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



- Other hazards
 - Results of PBT and vPvB assessment
 - **PBT**: Not applicable.
 - vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
 - Description: Mixture of the substances listed below with nonhazardous additions.
 - Dangerous components:

7440-02-0 nickel powder (particle diameter < 1 mm)

20-30%

4 First-aid measures

- Description of first aid measures
 - General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
 - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
 - Information about protection against explosions and fires: No special measures required.

Printing date 04/30/2015 Reviewed on 04/30/2015

Trade name: Vibra-TITE® Anti-Seize

(Contd. of page 2)

- Conditions for safe storage, including any incompatibilities
 - Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:

 7440-02-0 nickel powder (particle diameter < 1 mm)

 PEL Long-term value: 1 mg/m³

 REL Long-term value: 0.015 mg/m³
 as Ni; See Pocket Guide App. A

 TLV Long-term value: 1.5* mg/m³
 elemental, *inhalable fraction
 - Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
 - Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Not required.
- Body protection: Protective work clothing

* 9 Physical and chemical properties

31 Hysical and Chemical properties	
- Information on basic physical and che - General Information - Appearance:	emical properties
- Form:	Pasty
- Color:	Silver grey
- Odor:	Characteristic
 Odour threshold: 	Not determined.
- pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
- Flash point:	Not applicable.
- Flammability (solid, gaseous):	Not determined.
- Ignition temperature:	
- Decomposition temperature:	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
	(0.11

Printing date 04/30/2015 Reviewed on 04/30/2015

Trade name: Vibra-TITE® Anti-Seize

(Contd. of page 3)

		(conta. or page t
- Explosion limits:		
- Lower:	Not determined.	
- Upper:	Not determined.	
- Vapor pressure:	Not applicable.	
- Density:	Not determined.	
- Relative density	Not determined.	
- Vapour density	Not applicable.	
- Evaporation rate	Not applicable.	
- Solubility in / Miscibility with		
- Water:	Insoluble.	
- Partition coefficient (n-octan	ol/water): Not determined.	
- Viscosity:		
- Dynamic:	Not applicable.	
- Kinematic:	Not applicable.	
- Solvent content:		
 Organic solvents: 	0.0 %	
- Solids content:	45.0 %	
- Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity
 - Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
 - Sensitization: Sensitization possible through skin contact.
 - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
7440-02-0 nickel powder (particle diameter < 1 mm)	1
- NTP (National Toxicology Program)	
7440-02-0 nickel powder (particle diameter < 1 mm)	R
- OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.

Printing date 04/30/2015 Reviewed on 04/30/2015

Trade name: Vibra-TITE® Anti-Seize

(Contd. of page 4)

- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information

- DOT, ADN, IMDG, IATA not regulated

- UN proper shipping name

- DOT, ADN, IMDG, IATA not regulated

- Transport hazard class(es)

- DOT, ADN, IMDG, IATA

- Class not regulated

- Packing group

- **DOT, IMDG, IATA** not regulated

- Environmental hazards:

- Marine pollutant: No

- **Special precautions for user**Not applicable.

- Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

- UN "Model Regulation":

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

7440-02-0 nickel powder (particle diameter < 1 mm)

- TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65

- Chemicals known to cause cancer:

7440-02-0 nickel powder (particle diameter < 1 mm)

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency)

None of the ingredients is listed.

- TLV (Threshold Limit Value established by ACGIH)

7440-02-0 nickel powder (particle diameter < 1 mm)

A5

- NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0 nickel powder (particle diameter < 1 mm)

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Printing date 04/30/2015 Reviewed on 04/30/2015

Trade name: Vibra-TITE® Anti-Seize

(Contd. of page 5)

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
 - Date of preparation / last revision 04/30/2015 / 4

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 2: Carcinogenicity, Hazard Category 2

- * Data compared to the previous version altered.

- Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.