


DELIVERING UNPARALLELED PERFORMANCE FOR DECADES

Since day one, the RIDGID family of drain cleaning products was designed to offer plumbing professionals all the tools they need to handle any job efficiently.

Today, it includes sectional and drum machines, rodder and sink machines, water jetters, pumps, toilet augers and hand spinners. Pros utilize our SeeSnake® diagnostic and video inspection products to capture digital video and still images inside drain lines. NaviTrack® and SeekTech® brands are industry-leading underground locating equipment, trusted by tradesmen around the globe. RIDGIDConnect™ is the latest innovation, an online solution that allows users to integrate digital media and files into a hosted archive environment for storing, sharing, and report-writing.

RIDGID drain maintenance technology is built on a legacy of innovation and quality, delivering equipment to professionals that gives them a competitive edge.



WHY CHOOSE RIDGID?



DRIVE MORE SERVICES AND MORE PROFITS!

The Right Machine for Every Job.

RIDGID offers the most complete line of drain cleaning machines available today. The RIDGID line of equipment lets you offer a wider array of services to your customers which helps you grow your business and drive profits.











| USAGE CHART | SECTIONAL/DRUM MACHINES: Foundation of every professional's business | SINK MACHINES: Ideal for hard-to-reach areas like under sinks | WATER JETTERS: Best solution for grease or other soft blockages |
|----------------|--|---|--|
| WHERE USED: | Sink Lines to Main Lines 3/4" up to 10" drain lines | Sinks, Tubs, Showers 3/4" to 21/2" drain lines | Sink Lines to Main Lines 1½" up to 10" drain lines |
| BLOCKAGES: | Hard blockages such as roots and other obstructions. Soft blockages such as grease, food build-up, soap and sediment | Soap Hair Grease Other Buildup | Completely clears soft blockages such as grease, food build-up, soap, sediment, etc. |
| USERS: | Pro Drain Cleaners • Service Plumbers • (| Contractors • Facility & Institutional Maintena | ince ● Property Managers |

HAND SPINNERS & CLOSET AUGERS

High Quality, Excellent Performance
Designed to Clear Blockages Quickly and Efficiently
Rugged and Durable Cable

RIDGID Hand Spinners and Toilet Augers allow you to easily clear obstructions in toilets and drain lines with professional results. Hand Spinners feature a rotary molded plastic, dent-resistant drum and are available in two models. Toilet Augers feature a vinyl guard to protect porcelain, large ergonomically designed handles, and come in 3' and 6' lengths.

Professional Results. The K-26 Hand Spinner has a Bulb Head Cable, while the K-25 is offered with either a Bulb Head or Drop Head Cable. Both K-26 models have vinyl-wrapped, inner core, kink-resistant cables. The Closet/Toilet Augers also feature kink resistant, inner core cables in a choice of Bulb Head or Drop Head.



| APPLICATION: | SINK/TUB LINES | | |
|----------------|---------------------|--------------------|--|
| LINE SIZE: | 3/4 - 11/2" | 3⁄4 - 11⁄2" | |
| DRUM CAPACITY: | 35' of 5/16" Cable | 25' of 5/16" Cable | |
| HEAD TYPE: | Bulb Head/Drop Head | Bulb Head | |
| WEIGHT: | 8 Lbs. | 6 Lbs. | |






K-3

| VINYL GUARD FOR PROCELAIN: | YES | YES |
|--------------------------------------|-----|-----|
| 1/2" COMPRESSION-WOUND CORE CABLE: | YES | YES |
| NEGOTIATES WATER-CONSERVING TOILETS: | YES | YES |
| AVAILABLE IN BULB HEAD OR DROP HEAD: | NO | YES |
| CABLE LENGTH | 3' | 6' |

TOILET AUGERS



Model K-3/K-6 Toilet Augers

High quality tools in 3' and 6' lengths provide fast and efficient clearing of toilet obstructions. Features include:

- Vinyl guard to protect porcelain.
- New durable, kink-resistant, ½" compression-wrapped Inner Core Cable.
- · Large, ergonomically designed handles.
- · Negotiate water-conserving toilets.
- Available in either drop head or bulb head models.

| CATALOG MODEL | | | | GHT | STAN- | REPLAC. |
|---------------|--------|-----------------------------|------|-----|--------------|---------|
| NO. | NO. | DESCRIPTION | LB. | KG | DARD PACK | CABLES |
| 59787 | K-3 | 3' Toilet Auger w/Bulb Head | 43/8 | 2,0 | 6 | - |
| 59797 | K-6 | 6' Toilet Auger w/Bulb Head | 5½ | 2,5 | 6 | 60362 |
| 59802 | K-6 DH | 6' Toilet Auger w/Drop Head | 5½ | 2,5 | 6 | 60367 |

K-26 HAND SPINNER



For ¾" to 1½" (19-40 mm) Drain Lines

Ideal for users seeking excellent performance and value. Features include:

- Slip-resistant collet chuck that grips/releases cable with the flick-of-the-wrist.
- 5/16" x 25' hollow core cable with bulb head auger.
- Rotary molded plastic drum that won't rust or dent cleans easily.
- Open drum design that permits access to cable and allows application of Cable Rust Inhibitor.

| CATALOG | MODEL | DESCRIPTION | DIAMETER | X LENGTH | WE | IGHT |
|---------|-------|---------------------------------------|-------------|----------|-----|------|
| NO. | NO. | DESCRIPTION | IN. X FT. | MM X M | LB. | KG |
| 59812 | K-26 | Hand Spinner w/C-1 Bulb Head Cable | 5⁄16" x 25' | 8 x 7.6 | 6 | 2,7 |

K-25 HAND SPINNER




For 34" to 11/2" (19-40 mm) Drain Lines

The professional's choice for many years, the Model K-25 Hand Spinner offers premium quality. It's the ideal tool for the user who demands the best. Features include:

- Premium-quality, precision machined, 3-jaw chuck to firmly secure cable. Releases cable with a flick-of-the-wrist.
- Cast aluminum ribbed hand grip that won't slip in your hand.
- Rotary molded plastic drum that won't dent or rust cleans easily.
- Available in bulb head and drop head models. 5/16" x 25' vinyl-wrapped inner core, kink-resistant cables.
- Well balanced for comfortable operation.
- Capacity for 5/16" x 35'.

| CATALOG | MODEL | MODEL DESCRIPTION | | DIAMETER X LENGTH | | |
|---------|---------|---|-------------|-------------------|-----|-----|
| NO. | NO. | DESCRIPTION | IN. X FT. | MM X M | LB. | KG |
| 58890 | K-25-BP | Hand Spinner with C-1IC Bulb Auger Cable | 5⁄16" x 25' | 8 x 7.6 | 8 | 3,6 |
| 58895 | K-25-DH | Hand Spinner with C-2IC Drop Head Cable | 5⁄16" x 25' | 8 x 7.6 | 8 | 3,6 |







The K-45 family of drain guns are the professionals' choice for cleaning small secondary drain lines from ¾" to 2½".

SINK MACHINES

Small Line Cleaning Lightweight and Convenient Patented AUTOFEED® Technology RIDGID Sink Machines are excellent for clearing blockages in small lines such as lavatories, sinks, tubs and showers from $\frac{3}{4}$ " to $\frac{2}{2}$ ". Use $\frac{1}{4}$ ", $\frac{3}{16}$ " or $\frac{3}{8}$ " cable and choose from a wide variety of cutters depending on your application

Professional Results. Both the K-45 and K-40 are lightweight and easy to use. The K-40 features a patented two-way AUTOFEED® that makes it easy to get to those hard-to-reach areas such as under sink cabinets and bathtubs. The K-45 features a two-way AUTOFEED® that makes the drain cleaning job quick, clean and easy. Advance and retrieve the cable with just the push of a lever.





APPLICATION CHART

K-40 K-45

| APPLICATION: | SINK/TUB LINES | | |
|------------------------|---|---|--|
| LINE SIZE: | ³ / ₄ - 2 ¹ / ₂ " | ³ ⁄ ₄ - 2 ¹ ⁄ ₂ " | |
| STANDARD CABLE LENGTH: | 35' | 25' | |
| DRUM CAPACITY: | 50' of 1/16" Cable | 50' of 5/16" Cable | |
| SPEED: | 270 RPM | 0-600 RPM | |
| MOTOR TYPE: | 1/8 HP Induction Motor | Variable Speed Drill | |
| WEIGHT: | 36 Lbs. | 13 Lbs. | |
| OTHER FEATURES | Optional Two-way AUTOFEED® & Guide Hose | Optional Two-way AUTOFEED® | |

SINK MACHINE CABLES

K-40 & K-45

| %" CABLE | ⁵∕16" CABLE |
|---------------------|-----------------------|
| 25' w/Male Coupling | 25' w/Bulb Auger |
| 35' w/Bulb Auger | 25' w/Drop Head Auger |
| 35' w/Male Coupling | 35' w/Bulb Auger |
| - | 35' w/Drop Head Auger |
| - | 50' w/Bulb Auger |
| - | 50' w/Bulb Auger |

K-45 SINK MACHINE



Model K-45AF quickly opens clogged tub lines. Advance and retrieve cable without reversing motor.

For 34" to 21/2" (19-64 mm) Drain Lines

- Excellent for small line cleaning. Opens clogged lavatory, sink lines, urinals, and tub/shower drains.
 - -1/4" cables best for 3/4" to 11/2" lines.
 - $-\frac{5}{16}$ " cables best for $\frac{3}{4}$ " to $\frac{1}{2}$ " lines.
- $-\frac{3}{8}$ " cables best for $1\frac{1}{4}$ " to $2\frac{1}{2}$ " lines.
- Available in 2 styles: Manual & AUTOFEED®.
 - Manual version has a slide action chuck for quick locking/releasing of cable.
 - Advanced two-way AUTOFEED keeps hands and work area clean advances & retrieves cable with push of a lever.
- · Lightweight, easy-to-use, no setup required.
- Variable speed power unit rotates cable 0-600 RPMs.
- Two-piece twist lock canister with interchangeable inner drum.
 - $-\,\mbox{Makes}$ cable changeout simple; easy to match the right cable to the job.
 - Inner drum prevents water leaks and greatly reduces cable flip-over inside the drum.
 - Drums won't rust or dent ever.
- Drum Capacity: 50' of $\frac{5}{16}$ " (15 m/8 mm) or 35' of $\frac{3}{6}$ " (11 m/10 mm).
- Includes RIDGID drain cleaning gloves and operator's manual.
- · Approved by CSA to CSA and UL Standards (115V only).








The %" cable in Model K-45AF-5 and K-45AF-7 extends machine's capacity to $2\frac{1}{2}$ " drain lines.







A powerful $\frac{1}{12}$ HP machine that is easy to transport with a quick release drum and built-in handgrips.

DRUM MACHINES

Power and Torque Cable Saving Features Superior Maneuverability The RIDGID drain cleaning line of drum machines has the right machine for your application. From $\frac{3}{4}$ " up to 10" lines, RIDGID has the drum machine for you!

Professional Results. RIDGID Drum Machines deliver high torque to clear obstructions. The machines deliver torque through RIDGID cables and cutters to muscle through blockages.





K-400



K-3800



K-6200



K-750



K-750R



K-7500

| | | SINK LINES | | | | |
|---------------------------|------------------|-------------------|-------------------|----------------|-----------------|-------------------|
| APPLICATION: | | FLOOR/SECONDARY D | RAINS | | | |
| | | | | LATERA | LS & MAIN LINES | |
| LINE SIZE: | 1½" - 4" | 3/4" - 4" | 3" - 6" | 3" - 8" | 3" - 6" | 3" - 10" |
| SPEED: | 170 RPM | 240 RPM | 285 RPM | 200 RPM | 200 RPM | 200 RPM |
| MOTOR TYPE Horsepower: | Induction 1/3 HP | Universal 1/12 HP | Universal 1/10 HP | Induction ½ HP | Induction ½ HP | Universal 1/10 HP |
| WEIGHT: | 60 Lbs. | 65 Lbs. | 180 Lbs. | 206 Lbs. | 194 Lbs. | 244 Lbs. |
| RECOMMENDED CABLE: | Integral Wound | Inner Core | Inner Core | Inner Core | Inner Core | Inner Core |



An ideal intermediate machine with superior maneuverability and power that make the K-6200 a great choice for 3" to 6" lines.



The choice of many professionals because of its performance and durability, the K-7500 is ideal for all the toughest jobs including roots.

CABLE SAVING FEATURES

Within the RIDGID Drum Machine line, there are several features specifically designed to minimize machine downtime and maximize cable life. These features keep the machine on the job and you making money.

EXAMPLES INCLUDE:

- INNER DRUM minimizes the potential of the cable flipping in the drum.
- PATENTED CABLE CONTROL SYSTEM limits the potential for cable flip-over in the drum and helps to indicate to the operator when blockages are encountered.
- UNIVERSAL MOTOR automatically slows cable and increases torque when encountering obstructions. Gives the user audible and visual signals when engaging an obstruction.

MACHINES DESIGNED FOR YOU

The RIDGID Drum Machine line is tough on drain obstructions, but easy on the end user. Several design features make it easy to load, unload, transport and use the machines.

EXAMPLES INCLUDE:

- PATENTED TWO-POSITION STAIR CLIMBER for easy loading/unloading.
- QUICK-RELEASE DRUMS with built-in handles for quick and easy transport.
- POWERFUL AUTOFEED® MECHANISM to advance and retrieve cable easily.
- CONVENIENT CART DESIGNS AND NARROW PROFILES for superior maneuverability.

CABLES FOR DRUM MACHINES

| | K-400 & P | <-3800 | | |
|--------------------|----------------------------|----------------------------|---|-------------------------|
| PRODUCTS: | | | K-6200 | |
| | | | K-750, K-75 | OR & K-7500 |
| CABLE DIAMETER: | %" Cable | ½" Cable | %" Cable | ¾" Cable |
| AVAILABLE LENGTHS: | 50' - 75' - 100' | 50' - 75' - 90' | 25' - 50' - 75' - 100' | 25' - 50' - 75' - 100' |
| CABLE TYPE: | Inner Core, Integral Wound | Inner Core, Integral Wound | Heavy-Duty Inner Core, Inner Core, Hollow Core | Inner Core, Hollow Core |

Inner Core Cables Compression-wound for strength, it also resists kinking and negotiates tough bends and traps. Good flexibility while delivering more cleaning power to cable end.

Integral Wound Core Cables Cable is wound tight on wire inner core, creating a solid assembly. Has greater kink resistance.

Hollow Core Cables Provide maximum flexibility for severe bends and traps.

K-400 DRUM MACHINE



Model K-400 Machine Only



For 1½" to 4" (32-100 mm) Drain Lines

The Model K-400 offers several unique, user-friendly features to make the toughest drain cleaning jobs easier and hassle-free. Designed with a sleek profile, the Model K-400 is a great fit for drain cleaners, service plumbers, facility and institutional maintenance departments and property management companies.

- 100' of 3/8" cable for 11/2" to 3" lines.
- 75' of 1/2" cable for 3" to 4" lines
- Integrated Transport Cart allows for easy movement to and from the job site.
 Heavy-duty, large wheels easily navigate over bumps and up stairs.
- Integrated Telescoping Handle provides high-handle height during transport.
 Handle locks in low position during drain cleaning operation or during transport to minimize space requirements.
- Cable Control System causes the drum to stop spinning when the blade becomes lodged in a blockage, limits potential for cable to flip-over in the drum and helps to indicate to operator when blockages are encountered.
- "Solid Core" Cable uses tough %" or ½" Integral Wound (IW) solid core cable
 that is rugged and kink resistant. Each size comes in several lengths and utilizes a
 variety of the RIDGID quick-connect cutters.
- AUTOFEED® offered as an accessory, this patented, automatic cable feed powers
 cable in and out of the drain. Reverse the direction of the AUTOFEED® and the cable
 feeds back into the drum.
- Approved by CSA to CSA and UL Standards (115V only).

Machine Options

| CATALOG MODEL NO. NO. | | PECOPINTION | | GHT |
|--------------------------|-----------------------|--|-----|------|
| | | DESCRIPTION | LB. | KG. |
| 26993 | K-400 w/C-31 IW | K-400 Machine w/RIDGID Drain Cleaning Gloves — C-31 IW %" x 50' Solid Core (Integral Wound) Cable — T-260 Tool Set Includes: — T-202 Bulb Auger — T-205 "C" Cutter — T-211 Spade Cutter — A-13 Pin Key | 60 | 27,2 |
| 24853 | K-400 w/C-32 IW | K-400 Machine w/RIDGID Drain Cleaning Gloves — C-32 IW ¾" x 75' Solid Core (Integral Wound) Cable — T-260 Tool Set | 68 | 31 |
| 27008 | K-400 AF w/C-32 IW | K-400 Machine w/RIDGID Drain Cleaning Gloves — AUTOFEED — C-32 IW ¾" x 75' Solid Core (Integral Wound) Cable — T-260 Tool Set | 79 | 36 |
| 27003 | K-400 w/C-44 IW | K-400 Machine w/RIDGID Drain Cleaning Gloves — C-44 IW ½" x 50' Solid Core (Integral Wound) Cable — T-260 Tool Set | 68 | 31 |
| 26998 | K-400 w/C-45 IW | K-400 Machine w/RIDGID Drain Cleaning Gloves — C-45 IW ½" x 75' Solid Core (Integral Wound) Cable — T-260 Tool Set | 81 | 37 |
| 27013 | K-400 AF w/C-45 IW | K-400 Machine w/RIDGID Drain Cleaning Gloves — AUTOFEED — C-45 IW ½" x 75' Solid Core (Integral Wound) Cable — T-260 Tool Set | 93 | 42 |
| 41937 | _ | RIDGID Drain Cleaning Gloves, Leather | _ | _ |

K-3800 DRUM MACHINE







For 3/4" to 4" (19-100 mm) Drain Lines

- A powerful, easy to transport, versatile machine for cleaning indoor drains. Requires minimal setup to clean sink lines, floor drains and roof vents.
- Rugged, corrosion-resistant molded cable drum won't dent or rust. The drum tilt
 adjusts for proper cable feed angle. Inner drum guards against cable flip-over inside
 the drum.
- Cable drum's quick-release and built-in hand-holds allow easy cable change and transport.
- \bullet Standard drum capacity is 100' of $3\!\!/\!\!$ " or 90' of $1\!\!/\!\!$ " (30 m/10 mm or 27 m/12 mm) continuous length cable:
 - -3%" cable best for $1\frac{1}{2}$ " to 3" lines up to 100'.
 - $-\frac{1}{2}$ " IC cable best for 2" to 4" lines up to 90'.
- Optional sink drum holds up to 50' of 5/16" or 1/4" (15 m/8 mm) cable.
 - Ideal for cleaning through $\frac{3}{4}$ " to $\frac{1}{2}$ " sink traps.
- Powerful ½12 HP universal motor spins cable at 240 RPM. When cable hits blockage, motor gears down automatically to deliver more power and enhance operator control.
- Tools connect to cable in seconds.
- Approved by CSA to CSA and UL Standards (115V only).
- IW (Integral Wound) cables available. IW cables are slightly stiffer and more kink resistant. All IW cables use 3/8" T-200 series cutters.
- Includes RIDGID leather drain cleaning gloves and operator's manual.

Machine Options

| CATALOG NO. | | MODEL | PERCUIPTION | WEIGHT | | |
|-------------|-----------|------------------|--|--------|-------|--|
| 115V | 220-2400V | NO. | DESCRIPTION | LB. | KG. | |
| 53107 | 59462 | K-3800 | K-3800 Machine w/RIDGID Gloves | 42 | 19,0 | |
| 53112 | - | K-3800 w/C-31 | K-3800 Machine with: - C-31, 3%" x 50' Cable - T-202 Bulb Auger - T-205 "C" Cutter - T-211 Spade Cutter - A-13 Pin Key - RIDGID Leather Drain Cleaning Gloves | 65 | 29,25 | |
| 53117 | 63827 | K-3800 w/C-32 | K-3800 Machine with: - C-32, 3%" x 75' Cable - T-202 Bulb Auger - T-205 "C" Cutter - T-211 Spade Cutter - A-13 Pin Key - RIDGID Leather Drain Cleaning Gloves | 71 | 32,2 | |
| 53122 | 63822 | K-3800 w/C-45 | K-3800 Machine with: - C-45, ½" x 75' Cable - T-102 Funnel Auger - T-142 Knife Blade Cutter - T-107 Spade Cutter - A-12 Pin Key - RIDGID Leather Drain Cleaning Gloves | 83 | 37,7 | |
| 53127 | - | K-3800 w/C-46 | K-3800 Machine with: - C-46, ½" x 90' Cable - T-102 Funnel Auger - T-142 Knife Blade Cutter - T-107 Spade Cutter - A-12 Pin Key - RIDGID Leather Drain Cleaning Gloves | 91 | 41,3 | |
| 41 | 937 | - | RIDGID Drain Cleaning Gloves, Leather | - | - | |

K-6200 DRUM MACHINE





For 3" to 6" (75-150 mm) Drain/Sewer Lines

Superior maneuverability and a small footprint allow easy access to tight work areas. The Model K-6200 comes equipped with either IC (Inner Core) cable or HD (Heavy Duty Inner Core) cable.

Recommend %" cable for 3" to 6" drain lines up to 200'.

- Patented Cable Control System Causes the drum to slow down when the blade becomes lodged in a blockage. Limits potential for cable flip-over inside the drum.
- Direct Drive Design 1/10 HP universal motor and gearbox bear down as torque builds.
 Motor sound lets the operator know when blockage is encountered. Drum requires no adjustments to stay aligned and tight on drive shaft.
- Easy Maintenance Construction Separate drum and machine in seconds.
 Inner drum and guide tube remove easily to maintain or replace cable.
- Durable and Stable Low center of gravity frame design and custom kickstand keep machine firmly anchored during operation. Rugged, corrosion-resistant polyethylene drum is rust and dent proof. Double tubular frame is lightweight and designed for extra strength.
- AUTOFEED and Standard Accessories Powerful feed mechanism is built to last and is easily maintained. AUTOFEED, toolbox and selection of cutters included in all models.
- Approved by CSA to CSA and UL Standards (115V only).
- Includes RIDGID PVC drain cleaning gloves and operator's manual.

Machine Options - Power Feed

| CATALOG No. | MODEL NO. | MODEL NO. DESCRIPTION | | WEIGHT | | |
|----------------|---------------------|---|-----|--------|--|--|
| 115V | MUDEL NO. | DESCRIPTION | LB. | KG | | |
| 95737 | K-6200 | Machine, Standard Accessories w/%" Pigtail | 98 | 44,54 | | |
| 95732 | K-6200 w/C-24 | Machine, Standard Accessories and 5%" x 100' Inner Core Cable | 180 | 81,81 | | |
| 93557 | K-6200 w/C-24 HD | Machine, Standard Accessories and 5%" x 100' HD Inner Core Cable | 180 | 81,81 | | |
| 70032 | - | RIDGID Drain Cleaning Gloves, PVC | - | - | | |

Standard Accessories:

- T-406 Spade Cutter
- T-411 2" Double Cutter
- T-413 3" Double Cutter
- T-414 4" Double Cutter
- T-458 5/8" x 2' Trap Leader (Not Shown)
- Pair Reclining Legs
- RIDGID Drain Cleaning Gloves

K-750 DRUM MACHINE





Model K-750 with C-100 shown above

Standard 3/4" Tool Set Includes:

- T-406 Spade Cutter
- T-407 Retrieving Auger
- T-411 2" Cutter
- T-413 3" Cutter
- T-414 4" Cutter

- Standard %" Tool Set
- T-403 3" P-Trap Cutter
- T-406 Spade Cutter
- T-407 Retrieving Auger
- T-411 2" Cutter
- T-413 3" Cutter

For 3" to 8" (75-200 mm) Drain/Sewer Lines

- Powerful, self-contained machine ideal for lateral lines. Easy to transport, minimal set-up — attach a tool and go.
- AUTOFEED advances, retrieves cable with a push of a lever, up to 20' per minute.
- Versatile AUTOFEED adjusts for either 5%" or 3¼" cable with a twist of a screwdriver.
 - Recommend %" cable for 3" to 6" drain lines up to 150' (75-150 mm, 48 m).
 - Recommend 34" cable for 4" to 8" drain lines up to 200' (100-250 mm, 62 m).
- Cable spins at 200 RPM.
- Tough, corrosion-resistant cable drum withstands harsh treatment and abuse. It will
 not dent or corrode and cleans easily.
- Drum holds 100 feet of ¾" (30 m, 19 mm) or 125 feet of ¾" (35 m, 16 mm) cable and is designed for quick, easy removal.
- Well-balanced design gives machine a lightweight "feel." Transport wheels ease loading into service truck/van.
- Equipped with ½ HP induction motor.
- Approved by CSA to CSA and UL Standards (115V only).
- Includes RIDGID PVC drain cleaning gloves and operator's manual.



Cable advance

Cable retract

Machine Options - Auto Feed

| CATAL | CATALOG NO. | | DESCRIPTION | WEIGHT | |
|---------------|---------------|-----------------|---|--------|-------|
| 115V- 60HZ | 230V- 50HZ | NO. | NO. DESCRIPTION | | KG. |
| 41977 | 44202 | K-750 | Machine with RIDGID Drain Cleaning Gloves, AUTOFEED - 3/4" Pigtail | 114 | 51,9 |
| 51402 | 51407 | K-750 | Machine with RIDGID Drain Cleaning Gloves, AUTOFEED - 5%" Pigtail | 113 | 51,3 |
| 42002 | _ | K-750 w/C-75 | Machine with RIDGID Drain Cleaning Gloves, AUTOFEED, Standard ¾" Tool Set, and: C-75, 75' x ¾" Cable | 206 | 93,6 |
| 42007 | 44212 | K-750 | Machine with RIDGID Drain Cleaning Gloves, AUTOFEED, Standard ¾" Tool Set, and: C-100, 100' x ¾" Cable | 234 | 106,3 |
| 42012 | 44217 | K-750 w/C-27 | Machine with RIDGID Drain Cleaning Gloves, AUTOFEED, Standard 5%" Tool Set, and: C-27, 75' x 5%" Cable | 182 | 82,7 |
| 47047 | _ | K-750 w/C-24 | Machine with RIDGID Drain Cleaning Gloves, AUTOFEED, Standard 5%" Tool Set, and: C-24, 100' x 5%" Cable | 182 | 82,7 |
| 700 | 032 | - | RIDGID Drain Cleaning Gloves, PVC | - | - |

K-750R DRUM MACHINE



Model K-750R with $\%{\rm "}$ x 100' Cable and Standard Tools

Standard Accessories:

- One C-24 HD Cable (%" x 100' HD Inner Core).
- One T-406 Spade Cutter.
- One T-403 P-Trap Cutter.
- One T-411 2" "C" Cutter.
- One T-413 3" "C" Cutter.
- One T-414 4" "C" Cutter.
- One A-3 Tool Box.
- Includes RIDGID leather drain cleaning gloves and operator's manual.

For 3" to 6" (75-150 mm) Drain Lines

The Model K-750R is a self-contained drain cleaner ideal for lateral drain lines from 3" to 6". Easy-to-transport, narrow design for small entryways and minimal setup make this machine ideal for tough main line work.

Comes equipped with a large blade assortment to handle numerous applications. Clears roots, debris and foreign objects out of main lines, storm drains, house laterals and leach lines.

- Clear access to drum allows immediate view of cable for inspection plus easier and faster cleaning of drum and cable.
- Patented Cable Control System slows the drum, should cable or blade become completely lodged in blockage.
- Heavy Duty (HD) Inner Core Cables have a larger wire diameter for a stiffer cable.

Typical Applications

• Main Lines, Storm Drains, Septic Lines, Building Drains.

Specifications

- ½ HP, 115V, 60Hz Reversible Induction Motor.
- 200 RPM.
- Air Activated Foot Switch.
- Weight 194 lbs.
- Dual Kickstands.
- New Torque Limiter Feature.
- Lean, Well-Balanced Design for Easy One-Man Transport and Operation.

Machine Ordering Information

| CATALOG | MODEL | DESCRIPTION | WEIGHT | | |
|---------|--------|---|--------|----|--|
| NO. | NO. | DESCRIFTION | LB. | KG | |
| 83557 | K-750R | 5/8" Open Cage Drum Machine w/ 5/8" x 100' HD Inner Core Cable; 2", 3", 4" "C" Cutters; P-Trap Cutter; Spade Blade; Tool Box; RIDGID Leather Drain Cleaning Gloves | 194 | 98 | |
| 70032 | - | RIDGID Drain Cleaning Gloves, PVC | _ | _ | |

K-7500 DRUM MACHINE





Standard Accessories:

- T-406 Spade Cutter
- T-407 Retrieving Auger
- T-411 2" Double Cutter
- T-413 3" Double Cutter
- T-414B 4" Double Cutter (Blade only)
- T-416B 6" Double Cutter (Blade only)
- T-408 Sawtooth Cutter
- T-403 3" P-Trap Cutter
- T-468 ¾" Flexible Leader
- Tool Box, Hex Key, RIDGID PVC Drain Cleaning Gloves

For %" machine packages (Catalog Nos. 61102), the T-468 Leader is replaced with the T-458 Leader and the 6" Double Cutter Blade is eliminated.

For 3" to 10" (75-250 mm) Lines

- The performance, cable control, durability, and maneuverability demanded by professional users. Ideal for any tough job, such as roots. Clears lines up to 250' long.
 - Recommend %" cable for 3" to 6" drain lines up to 250' (75-150 mm, 76 m).
 - Recommend $\frac{3}{4}$ " cable for 4" to 10" drain lines up to 250' (100-250 mm, 76 m).
- · Cable spins at 200 RPM.
- Powerful, yet quiet, 4/10 HP universal motor and gearbox bear down as cutter engages tough obstructions.
 - Provides audible and visual signals to operator.
- Inner-drum and ball bearing distributor arm work with motor/gearbox system to reduce chance of cable flip-over inside the drum.
- Main and inner drums won't rust, split or dent ever, and clean easily for professional appearance. Main drum holds up to 100' of 34" cable or 125' of 5%" cable.
- Powerful AUTOFEED mechanism has grease fittings and an open design for easy maintenance; advances and retrieves cable up to 22' per minute.
- Two-position stair climber eases transport and loading eliminates extra cost for loading wheels.
- Narrow profile allows machine to fit through bathroom doors.
- Handles adjust to desired height to ensure balanced transport.
- Includes RIDGID PVC drain cleaning gloves and operator's manual.
- Approved by CSA to CSA and UL Standards (115V only).

Machine Options -Power Feed

| CATAL | OG NO. | MODEL | | | MUDEL DESCRIPTION | | GHT |
|-------|----------|-------------------|--|-----|-------------------|--|-----|
| 115V | 220-240V | NO. | | | KG. | | |
| 59562 | 61542 | K-7500 | Machine w/¾" Pigtail and Standard Accessories | 150 | 86,2 | | |
| 61102 | 61522 | K-7500 | Machine w/5%" Pigtail and Standard Accessories | 149 | 67,8 | | |
| 60062 | - | K-7500 w/C-75 | Machine, Standard Accessories, and ¾" x 75' Inner Core Cable | 244 | 110,9 | | |
| 60052 | - | K-7500 w/C-100 | Machine, Standard Accessories, and 34" x 100' Inner Core Cable | 272 | 123,7 | | |
| 700 | 032 | - | RIDGID Drain Cleaning Gloves, PVC | _ | - | | |



The Professional's choice since 1957 because of its power and versatility. Use $\frac{1}{8}$ " cables for $\frac{1}{4}$ " to $\frac{1}{4}$ " lines. Add the A-17 adapter for $\frac{3}{4}$ " to $\frac{2}{4}$ " sink lines.



A compact and powerful machine ideal for roofstacks and other institutional, commercial and residential applications.

SECTIONAL MACHINES

Power and Speed Total Cable Control Lightweight and Portable The RIDGID drain cleaning legacy began with the sectional machine back in the 1930s. Today, RIDGID offers a full line of sectional machines to clear everything from 3/4" up to 10" drain lines.

Professional Results. Sectional machines clean using high-speed cutting action that literally drills through obstructions in the drain line.





K-50







K-60SP K-1500 K-1500SP

| • | | | | |
|--------------|-----------------|---------------------|----------|-----------------------|
| | | SINK LINES | | |
| APPLICATION: | | FLOOR/SECONDARY DRA | INS | |
| | | | | LATERALS & MAIN LINES |
| LINE SIZE: | 3/4" - 4" | 11/4" - 4" | 2" - 8" | 2" - 10" |
| SPEED: | 400 RPM | 600 RPM | 710 RPM | 600 RPM |
| HORSEPOWER: | 1/6 HP | ½ HP | 3⁄4 HP | 1 HP |
| WEIGHT: | 37 Lbs. | 41 Lbs. | 135 Lbs. | 141 Lbs. |
| CABLE SIZE: | 5/16", 3%", 5%" | 5%", 7%" | 1½", 1½" | ½", 1½" |



A ¾ HP motor spinning the cable at 710 RPM gives you the ability to clean larger lines for longer distances and cut through blockages FAST!



A 1 HP motor allows you to clear lateral and main lines up to 10" in diameter.

TOTAL CABLE CONTROL

Every RIDGID Sectional Machine has a unique, instant acting cable clutch that maximizes operator control.

- Push handle down, cable spins at 710 RPM.
- Release handle, cable stops instantly.

Instant-Acting Clutch



Engage clutch, cable spins.



Release handle, cable stops instantly.

LIGHTWEIGHT AND PORTABLE

Sectional machines are compact and lightweight and are easily transported to the job site. Cables are carried in separate baskets minimizing weight.

POWER AND CONTROL

The cleaning power, combined with the total cable control, allows users to clear drains effectively, completely and with absolute confidence.

CABLES

FOR SECTIONAL MACHINES

| | K-50 | | | | | | | | |
|---------------------------|--|---------------------------------|--|---|---|---|------------------------------------|---------------------------------|--|
| PRODUCTS: | K-60SP | | | | | | | | |
| | | | | | K-1500 & K-1500SP | | | | |
| CABLE MODEL: | C-7 | C-8 | C-9 | C-10 | C-11 | C-12 | C-14 | C-15 | |
| CABLE DIAMETER: | 5/8" | 5%" | 5/8 | 7/8" | 1¼" | 11/4" | 11/4" | 11/4" | |
| LENGTH: | 7½' | 7½' | 10' | 15' | 15' | 15' | 15' | 15' | |
| LINE SIZE Application: | 2" - 3" Floor Drains | 1½" - 2" Sink Lines | 2" - 4" Floor Drains Stacks | 2" - 4" Floor Drains Stacks & Laterals | 3" - 8" Floor Drains | 4" - 10" Laterals Main Lines | 3" - 10" Laterals Main Lines | 3" - 6" Laterals | |
| CHARACTERISTICS: | All-around cable. Not for tree roots. | Flexible, ideal for sink lines. | Heavy-duty cable. Long indoor runs. | Excellent all-purpose cable, excellent flexibility. | All-around work up to 8" lines. Easily goes through 4" trap. | Extra heavy-duty for long runs. Not for 4" traps. | Heavy-duty. | Extra flexible and lightweight. | |

K-50 SECTIONAL MACHINE



For 3/4" to 4" (19-100 mm) Drain Lines

- Compact, versatile, professional's machine. Capable of running three different size cables: 5/16", 3/8" and 5/8". The perfect, all-around sink, shower and floor drain machine. Weighs less than 40 lbs.
- Unique, easy-to-use, instant-acting cable clutch maximizes operator control:
 - Pull handle down and cable spins at 400 RPM.
 - Release handle, cable stops instantly.
- Uses sections of 5/8" cable, cleans 11/4" to 4" lines up to 100 feet.
 - C-8 best for $1\frac{1}{4}$ to 3" drains.
 - C-9 best for 2 to 4" drains.
- Equipped with an A-17 adapter, runs up to 50 feet of $\frac{5}{16}$ " (15 m/8 mm) or 35 feet of $\frac{3}{8}$ " (11 m/10 mm) continuous length cable.
 - -5/16" best for 3/4" to 11/2" lines.
 - -3%" best for $1\frac{1}{4}$ " to 2" lines.
- Equipped with 1/6 HP 115V motor.
- Includes A-1 RIDGID drain cleaning mitt and operator's manual.
- Approved by CSA to CSA and UL Standards (115V only).



Model K-50-8 shown above includes:

- K-50 Machine
- A-17-A, Adapter includes: 25' x 5/16", C-1 Bulb Auger Cable
- A-17-B, Adapter includes: 35' x ¾", C-5 Bulb Auger Cable
- A-1 RIDGID Drain Cleaning Mitt

- A-30 Cable Kit
- Six Sections C-8, 7½' x ½" Cable (45 feet)
- $-\,$ A-10 Cable Carrier
- T-201 Straight Auger
- T-202 Bulb Auger
- T-205 "C" Cutter
- T-211 Spade Cutter
- $-\,\mathrm{A}\text{-}13$ Coupling Pin Key
- $-\,$ A-14-6 Rear Guide Hose
- A-1 Left-Hand RIDGID
 Drain Cleaning Mitt

Machine Options

| CATALOG NO. | | MODEL | DESCRIPTION | WEIGHT | |
|-------------|-------|--------|--|--------|------|
| 115V | 230V | NO. | DESCRIPTION | LB. | KG |
| 58920 | 76455 | K-50 | Machine with A-1 RIDGID drain cleaning mitt | 37 | 16,8 |
| 58960 | 76475 | K-50-4 | Machine, with: — A-30 Cable Kit | 61 | 27,7 |
| 58980 | 76485 | K-50-6 | Machine, with: — A-17-A Adapter — A-30 Cable Kit | 67 | 30,4 |
| 59000 | 76495 | K-50-8 | Machine, with: — A-17-A Adapter — A-17-B Adapter — A-30 Cable Kit | 77 | 34,9 |
| 52972 | _ | K-50-9 | Machine, with: — A-40 Cable Kit | 74 | 33,6 |

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| 59205 | RIDGID Drain Cleaning Staple Mitt, Left Handed |
| 59295 | RIDGID Drain Cleaning Staple Mitt, Right Handed |

K-60SP SECTIONAL MACHINE





K-60SP-SE Shown Above Includes:

- K-60SP Machine
- A-1 RIDGID Drain Cleaning Mitt
- A-60-12 Rear Guide Hose
- A-62 Cable Kit
- A-8 Cable Carrier
- Five Sections Of C-10,%" Cable, Total 75 Feet

- A-61 Tool Kit
- T-101 Straight Auger
- T-102 Funnel Auger
- T-107 Spade Cutter
- T-125 Retrieving Auger
- T-150-1 Sharktooth Cutter
- A-3 Tool Box
- A-12 Pin Key

For 11/4" to 4" (32-100 mm) Drain Lines

- A compact machine for institutional, commercial or residential cleaning. Also ideal
 for septic tank vacuum truck operators. Small enough to fit into cramped spaces, yet
 powerful enough to clear tough blockages.
- Ideal for rooftop vent stacks. Rear handle allows for easy transporting up ladders and onto rooftops.
- Unique, easy-to-use, instant-acting cable clutch maximizes operator control.
- Push handle down, cable spins at 600 RPM.
- Release handle, cable stops instantly.
- Simple adjustment knob allows unit to spin both %" (22 mm) and %" (16 mm) diameter cable. Adjusts in seconds.
- $-\,\mbox{\em 78}"$ cable (C-10) cleans 2" to 4" lines through 150 feet.
- %" cable (C-7, C-8, C-9) cleans 1¼" to 4" lines through 125 feet.
- Remove only two bolts to access jaw set for cleaning or replacement.
 Removal of same bolts provides access to belt drive.
- Equipped with 1/2 HP motor.
- Includes A-1 RIDGID drain cleaning mitt and operator's manual.
- Approved by CSA to CSA and UL Standards (115V only).

Machine Options

| CATA | CATALOG NO. | | DESCRIPTION | WEIGHT | |
|-------|-------------|----------------------------|---|--------|------|
| 115V | 220-240V | NO. BESCRIFTION 20-240V | | LB. | KG. |
| 66492 | 66512 | K-60SP | Machine with RIDGID Drain Cleaning Mitt, A-12 Pin Key, and A-60-12 Rear Guide Hose | 41 | 18,6 |
| 66497 | 66517 | K-60SP-SE | Machine with RIDGID Drain Cleaning Mitt, A12 Pin Key, and A-60-12 Rear Guide Hose, plus: A-61 Tool Kit, A-62 Cable Kit | 92 | 41,7 |

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| 59205 | RIDGID Drain Cleaning Staple Mitt, Left Handed |
| 59295 | RIDGID Drain Cleaning Staple Mitt, Right Handed |

K-1500 SECTIONAL MACHINE





Model K-1500 B w/C-11 Shown Above Includes:

- K-1500 B Machine with A-1 RIDGID Drain Cleaning Mitt, A-12 Pin Key and A-34-12 Rear Guide Hose
- Seven Sections of 1½" (C-11) Cable, Total 105 Feet
- Two A-8 Cable Carriers

- Nine-Piece Tool Set
- T-1 Straight Auger
- T-3 Funnel Auger
- T-6 Retrieving Auger
- T-8 Grease Cutter
- T-13 Sawtooth Cutter
- T-50-1 Sharktooth Cutter
- A-2864 Hex Key
- A-3516 Hex Key
- A-3 Tool Box

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| 59205 | RIDGID Drain Cleaning Staple Mitt, Left Handed |
| 59295 | RIDGID Drain Cleaning Staple Mitt, Right Handed |

For 2" to 8" (50-200 mm) Drain and Sewer Lines

- The finest all-around sewer and drain cleaning machine. One man can easily clean
 the heaviest blockages indoors or out. High-speed cleaning gets the job done
 faster...better.
- Unique, easy-to-use, instant-acting cable clutch maximizes operator control:
- Pull handle down, cable spins at constant 710 RPM.
- Release handle, cable stops instantly.
- Wheels to the job site sets up fast, cleans up fast.
- Low-profile "B" frame design will fit most crawl spaces, loads and unloads from truck
 easily. Upright "A" frame features cable carrier storage during transport, ideal for
 in-house applications.
- Equipped to run, easy to handle, 15-foot sections of 1¼" cable to clean 3" to 8" (32 m/200 mm) lines to 200 feet (61 m).
- Easy clutch jaw change-out adapts K-1500 to run 15-foot sections of 7/8" (4.6m/22mm) cable through 2" to 4" lines up to 175 feet (50-100 mm, 53 m).
- Equipped with 3/4 HP motor; 115V models.
- Includes RIDGID drain cleaning mitt and operator's manual.
- Approved by CSA to CSA and UL Standards (115V only).

Machine Options - B Frame

| | CATALOG NO. | | MODEL DESCRIPTION | | WEIGHT | |
|-----------|-------------|-----------|-------------------|--|--------|-------|
| 115V-60HZ | 230V-50HZ | 240V-50HZ | NO. | DESCRIPTION | LB. | KG |
| 23697 | 27617 | - | K-1500B | Machine with A-1 RIDIGD Drain Cleaning Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose* | 135 | 61,3 |
| 23717 | 27597 | 27637 | K-1500B | Machine with A-1 RIDIGD Drain Cleaning Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose*, Plus: - Seven Sections 1¼" (C-11) Cable, Total 105 Feet - Two A-8 Cable Carriers - Nine-Piece 1¼" Tool Set | 256 | 116,1 |
| 23707 | - | - | K-1500B | Machine with A-1 RIDIGD Drain Cleaning Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose*, Plus: - Seven Sections 1½" (C-14) Cable, Total 105 Feet - Two A-8 Cable Carriers - Nine-Piece 1½" Tool Set | 256 | 116,1 |

Machine Options – A Frame

| | | MODEL | TIEST: RIPTIIN | | GHT |
|-------|--|---------|---|-------|-------|
| | | NO. | DESCRIPTION | LB. | KG |
| 23692 | 23692 27612 | | Machine with A-1 RIDIGD Drain Cleaning Mitt, A-12 Pin Key, A-34-12, Pin Key and A 34-12 Rear Guide Hose* | 135 | 61,3 |
| 23712 | 27592 | K-1500A | Machine with A-1 RIDIGD Drain Cleaning Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose*, Plus: — Seven Sections 1¼" (C-11) Cable, Total 105 Feet — Two A-8 Cable Carriers — Nine-Piece 1½" Tool Set | 256 | 116,1 |
| 23702 | Machine with A-1 RIDIGD Drain Cleaning Mitt, A-12 Pin Key, and A-34-12 Rear Guide Hose*, Plus: | | 256 | 116,1 | |

^{*}A-369-X 11/4" Jaw Set.



K-1500SP SECTIONAL MACHINE





K-1500SP w/C-11 Shown Above Includes:

- K-1500SP Machine with A-1 RIDGID Drain Cleaning Mitt and A-12 Pin Key
- A-34-12 Rear Guide Hose
- 150 Feet, Ten Sections of C-11, 11/4" Cable
- Three A-8 Cable Carriers

- Nine-Piece 11/4" Tool Package
- T-1 Straight Auger
- T-3 Funnel Auger with 3", 4" and 5" Blades
- T-6 Retrieving Auger
- T-8 21/2" Grease Cutter
- T-13 2½" Sawtooth Cutter
- T-50 Sharktooth Cutter
- A-2864 Hex Key (1/2")
- A-3516 Hex Key (1/4")
- A-3 Tool Box

| CATALOG NO. | DESCRIPTION |
|-------------|---|
| 59205 | RIDGID Drain Cleaning Staple Mitt, Left Handed |
| 59295 | RIDGID Drain Cleaning Staple Mitt, Right Handed |

For 2" to 10" (50-250 mm) Drain/Sewer Lines

- All the features of the standard Model K-1500 with extra power to clean larger lines (10") and longer distances (through 300 feet). Cuts through blockages fast.
- Equipped with full 1 HP TEFC motor and heavy-duty rotary switch.
- Unique easy-to-use, instant-acting cable clutch maximizes operator control:
- Pull handle down and cable spins at 600 RPM.
- Release handle, cable stops instantly.
- Low-profile frame design will fit most crawl spaces.
- 10" solid ball bearing wheels.
- Easy clutch jaw change-out adapts the Model K-1500 SP to use 1/8" cable to clean 2" to 4" lines through 175 feet (order jawset A-368-X, 59325).
- Includes A-1 RIDGID drain cleaning mitt and operator's manual.
- Approved by CSA to CSA and UL Standards (115V only).

Machine Options - B Frame


| CAT | TALOG NO. | MODEL NO | DECODIDATION | WEIGHT | |
|-----------|---------------------------|-----------------------|--|--------|-----|
| 120V-60HZ | 220/240V-50HZ | MODEL NO. DESCRIPTION | | LB. | KG |
| 43507 | 43507 43512 K-1500SPB and | | Machine with A-1 RIDGID Drain Cleaning Mitt and A-12 Pin Key*, Plus: — A-34-12 Rear Guide Hose | 141 | 64 |
| 46907 | _ | K-1500SPB | Machine with A-1 RIDGID Drain Cleaning Mitt and A-12 Pin Key*, Plus: — A-34-12 Rear Guide Hose — 150 Feet, Ten Sections of C-11, 1¼" Cable — Three A-8 Cable Carriers — A-3 Tool Box — Eight-Piece 1¼" Tool Package | 317 | 144 |
| 91027 | _ | K-1500SPB | Machine with A-1 RIDGID Drain Cleaning Mitt and A-12 Pin Key* Plus: — A-34-12 Rear Guide Hose — C-14 Three Carrier Cable Combination Kit | 297 | 135 |


Machine Options - A Frame


| CATAL | OG NO. | MODEL NO. | DESCRIPTION | WEIGHT | |
|-------|---|-----------|--|--------|-----|
| 120V | 120V 220/240V | | DESCRIPTION | LB. | KG |
| 46837 | — K-1500SPA Machine with A-1 RIDGID Drain Cleaning Mitt and A-12 Pin Key*, Plus: — A-34-12 Rear Guide Hose | | 150 | 68 | |
| 46902 | - | K-1500SPA | Machine with A-1 RIDGID Drain Cleaning Mitt and A-12 Pin Key*, Plus: — A-34-12 Rear Guide Hose — 150 Feet, Ten Sections of C-11, 1¼" Cable — Three A-8 Cable Carriers — A-3 Tool Box — Eight-Piece 1¼" Tool Package | 326 | 148 |
| 91032 | _ | K-1500SPA | Machine with A-1 RIDGID Drain Cleaning Mitt and A-12 Pin Key*, Plus: — A-34-12 Rear Guide Hose & C-14 Three Carrier Cable Combination Kit | 317 | 144 |

CABLE TOOLS

RIDGID offers a wide variety of cutters and augers to clean everything from grease to root blockages. With the RIDGID line of cable tools, you will always have the right tool for the job.








For C-4, C-6, C-6IC, C-7, C-8, C-9, C-10, C-11, C-12, C-14, C-15, C-31, C-32, C-33, C-44, C-45, and C-46 & all IW Cables.

DROP HEAD AUGER

For cleaning back to back mounted fixtures e.g., sinks where cable needs to be led into down pipe.





STRAIGHT AUGER


For use in exploring and breaking up stoppages or returning sample to surface to determine correct tool.



FUNNEL AUGER

For use as second tool in line. Breaks up remains of stoppage left by straight auger.






HOOK AUGER

For heavy and dense root stoppages in pipes that require hooking and breaking up.





RETRIEVING AUGER

For searching for cable which is broken or lost in line.





SPADE CUTTER

For following up after augers have been used and to open up floor drains.





FOUR BLADE SAW TOOTH CUTTER

For blockages caused by hardened, glazed material such as chemical deposits.





GREASE CUTTER

For lines which have become badly greased with detergents and have to be opened.





SPIRAL SAW TOOTH CUTTER

For clearing any stoppage, roots, rags, sticks, etc.






SAW TOOTH CUTTER

For cleaning lines blocked heavily with roots. Unique design permits cutter to be removed from damaged pipe without





SPIRAL BAR CUTTER

For main sewers blocked by roots, leaf debris, sticks, sawdust, cloth, and sacking.






SHARKTOOTH CUTTER

For use in cleaning pipes of general material clinging to pipe walls.





GREASE "C" CUTTER

For grease blockage in lines leading from garbage disposal unit or waste pipe.





EXPANDING FINISH CUTTERS

For final removal of material adhering to walls and certain roots of fibrous nature.





CHAIN KNOCKER

For use when vigorous action is required for cleaning of scale in pipes and boiler tubes.





For use for finish cleaning required of boiler tubes and heat exchangers.





DRUM CABLES

| CABLE TYPE | CATALOG NO. | MODEL NO. | CABLE DESCRIPTION | K400 | K3800 | K6200 | K750 | K7500 | K750R |
|------------|-------------|-----------|--|------|-------|-------|------|-------|-------|
| | 50652 | S-2 | 1/4" x 25' w/ Funnel Auger | | х | | | | |
| _ | 50657 | S-3 | 1/4" x 35' w/ Funnel Auger | | х | | | | |
| SINK DRUM | 56782 | C-1IC | %6" x 25' Inner Core w/ Bulb Auger | | х | | | | |
| X | 56792 | C-13IC | ⁵⁄16" x 35' w/ Bulb Auger | | х | | | | |
| S | 56787 | C-2IC | 5/16" x 25' Inner Core w/ Drop Head Auger | | х | | | | |
| | 56797 | C-23IC | %6" x 35' w/ Drop Head Auger | | х | | | | |
| | 87577 | C-31IW | 3/8" x 50' Integral Wound Cable | Х | х | | | | |
| 40 | 87582 | C-32IW | %" x 75' Integral Wound Cable | Х | х | | | | |
| BLES | 87587 | C-33IW | %" x 100' Integral Wound Cable | Х | х | | | | |
| 3%" CABLES | 37842 | C-31 | 3/8" x 50' Inner Core Cable | | х | | | | |
| 3% | 37847 | C-32 | %" x 75' Inner Core Cable | | х | | | | |
| | 37852 | C-33 | %" x 100' Inner Core Cable | | х | | | | |
| | 87592 | C-44IW | ½" x 50' Integral Wound Cable | Х | х | | | | |
| | 87597 | C-45IW | ½" x 75' Integral Wound Cable | Х | х | | | | |
| BLES | 37857 | C-44 | ½" x 50" Inner Core Cable | | х | | | | |
| ½" CABLES | 37862 | C-45 | ½" x 75' Inner Core Cable | | х | | | | |
| 277 | 37867 | C-45HC | ½" x 75' Hollow Core Cable | | х | | | | |
| | 55467 | C-46 | ½" x 90' Inner Core Cable | | х | | | | |
| | 92460 | C-25 | %" x 25' Inner Core Cable | | | х | Х | х | х |
| | 92465 | C-26 | %" x 50' Inner Core Cable | | | х | Х | Х | х |
| | 92470 | C-27 | %" x 75' Inner Core Cable | | | х | Х | х | х |
| 40 | 43647 | C-24 | %" x 100' Inner Core Cable | | | х | Х | х | х |
| BLES | 32737 | C-27HC | %" x 75' Hollow Core Cable | | | х | Х | Х | х |
| %" CAB | 58192 | C-24HC | 5/8" x 100' Hollow Core Cable | | | х | Х | Х | х |
| 28 | 37628 | C-25HD | %" x 25' Heavy Duty Cable | | | х | Х | Х | х |
| | 37633 | C-26HD | %" x 50' Heavy Duty Cable | | | х | Х | Х | х |
| | 37638 | C-27HD | %" x 75' Heavy Duty Cable | | | Х | Х | Х | х |
| | 37643 | C-24HD | %" x 100' Heavy Duty Cable | | | х | Х | х | х |
| | 92475 | C-28 | 3/4" x 25' Inner Core Cable | | | | Х | х | х |
| | 92480 | C-29 | ¾" x 50' Inner Core Cable | | | | Х | х | х |
| BLES | 41212 | C-75 | ³ / ₄ " x 75' Inner Core Cable | | | | Х | х | х |
| 34" CABLES | 41697 | C-100 | 3/4" x 100' Inner Core Cable | | | | Х | х | х |
| 3/4 | 47427 | C-75HC | 3/4" x 75' Hollow Core Cable | | | | Х | х | х |
| | 47432 | C-100HC | ¾" x 100' Hollow Core Cable | | | | Х | х | х |

DRUM CABLE TOOLS

| CATALOG NO. | MODEL NO. | DESCRIPTION | K-400 | K-3800 | K-6200 | K-750 | K-7500 | K750R |
|-------------|-----------|----------------------------|-------|--------|--------|-------|--------|-------|
| 62990 | T-201 | Straight Auger-5" Long | х | х | | | | |
| 62995 | T-202 | Bulb Auger-11/8"OD | х | х | | | | |
| 63000 | T-203 | Bulb Auger-1/2"OD | х | х | | | | |
| 54837 | T-204 | C-Cutter- 1" | Х | х | | | | |
| 63005 | T-205 | C-Cutter- 1%" | Х | х | | | | |
| 63010 | T-206 | Funnel Auger-3" | Х | х | | | | |
| 63015 | T-207 | Spiral Cutter-11/4" | Х | х | | | | |
| 63020 | T-208 | Spiral Cutter-1½" | х | х | | | | |
| 63025 | T-209 | Spiral Cutter-2" | х | х | | | | |
| 63030 | T-210 | Spade Cutter-1" | х | х | | | | |
| 63035 | T-211 | Spade Cutter-1%" | х | х | | | | |
| 63040 | T-212 | Spade Cutter-1¾" | х | х | | | | |
| 63045 | T-213 | 4-Blade Cutter-1" | х | х | | | | |
| 63050 | T-214 | 4-Blade Cutter-1%" | х | х | | | | |
| 63055 | T-215 | 4-Blade Cutter-1¾" | х | х | | | | |
| 63060 | T-216 | Chain Knocker-2" | х | Х | | | | |
| 63065 | T-217 | Drop Head-4" Long | х | Х | | | | |
| 52812 | T-230 | H-D "C" Cutter-2" | х | Х | | | | |
| 52817 | T-231 | H-D "C" Cutter-2½" | х | Х | | | | |
| 52822 | T-232 | H-D "C" Cutter-3" | х | х | | | | |
| 92485 | T-403 | P Trap Cutter-3" | | | х | Х | Х | х |
| 92490 | T-404 | P Trap Cutter-3" | | | х | Х | Х | х |
| 92495 | T-406 | Spade Cutter 1¾" | | | х | Х | Х | х |
| 92500 | T-407 | Funnel Retrieving Auger-2% | | | х | х | х | х |
| 92505 | T-408 | Sawtooth Cutter-3" | | | х | Х | Х | х |
| 51762 | T-409 | H-D Bulb Auger-1¾" | | | х | Х | Х | х |
| 92510 | T-411 | Double Cutter-2" | | | х | Х | Х | х |
| 92515 | T-412 | Double Cutter-2½" | | | х | Х | Х | х |
| 92520 | T-413 | Double Cutter-3" | | | х | х | х | х |
| 92525 | T-414 | Double Cutter-4" | | | х | Х | х | х |
| 92530 | T-416 | Double Cutter-6" | | | х | Х | х | х |
| 92535 | T-432 | 3-Blade Cutter-2" | | | х | Х | х | х |
| 92540 | T-433 | 3-Blade Cutter-3" | | | х | Х | х | х |
| 92545 | T-434 | 3-Blade Cutter-4" | | | х | Х | х | х |
| 92550 | T-436 | 3-Blade Cutter-6" | | | х | Х | Х | х |

SINK/SECTIONAL CABLES

| CABLE TYPE | CATALOG NO. | MODEL NO. | CABLE DESCRIPTION | K50 | K60 | K1500 | K1500SP | K1500G |
|------------|-------------|-----------|--|-----|-----|-------|---------|--------|
| | 62225 | C-1 | ⁵‰" x 25' w/ Bulb Auger | х | | | | |
| 10 | 56782 | C-1IC | 5/16" x 25' Inner Core w/ Bulb Auger | х | | | | |
| %" CABLES | 89400 | C-21 | ⁵⁄16" x 50' w/ Bulb Auger | х | | | | |
| .°. | 62235 | C-2 | %₁6" x 25' w/ Drop Head Auger | х | | | | |
| 1/4 | 56787 | C-2IC | 5√16" x 25' Inner Core w/ Drop Head Auger | х | | | | |
| | 89405 | C-22 | 5/16" x 50' w/ Drop Head Auger | х | | | | |
| | 62245 | C-4 | 3/s" x 25' w/ Male Coupling | х | | | | |
| %" CABLES | 62250 | C-5 | %" x 35' w/ Bulb Auger | х | | | | |
| CAI | 62260 | C-6 | ¾" x 35' w/ Male Coupling | х | | | | |
| % | 96037 | C-6IC | 3⁄8" x 35' w/ Male Coupling | х | | | | |
| | 62265 | C-7 | ½" x 7.5′ Tight-Wind | х | Х | | | |
| %" CABLES | 62270 | C-8 | 5%" x 7.5' All Purpose Wind | х | Х | | | |
| " CA | 25046 | C-8PC | %" x 7.5' All Purpose Wind w/ Plastic Core | х | х | | | |
| 28 | 51317 | C-9 | %" x 7.5' Heavy Duty Wind | х | х | | | |
| | 62275 | C-10 | %" x 15' All Purpose Wind w/ Plastic Core | | х | х | х | Х |
| %" CABLES | 25036 | C-10PC | %" x 15' All Purpose Wind | | х | х | х | Х |
| | 62280 | C-11 | 1¼" x 15' All Purpose Wind | | | Х | х | Х |
| LES | 24226 | C-11PC | 11/4" x 15' All Purpose Wind w/ Plastic Core | | | Х | х | Х |
| 1⅓" CABLES | 62285 | C-12 | 1¼" x 15' Extra Heavy Duty Wind | | | Х | х | Х |
| 11/4" | 62295 | C-14 | 1¼" x 15' Heavy Duty Wind | | | Х | х | Х |
| | 62300 | C-15 | 1¼" x 15' Extra Flexible Wind | | | х | х | Х |

SECTIONAL CABLE TOOLS

| CATALOG NO. | MODEL NO. | DESCRIPTION | K50 | K60 | K1500 | K1500SP | K1500G |
|-----------------------------|-------------------------------|--------------------------------------|-----|-----|----------|---------|--------|
| 62990 | T-201 | Straight 5" Auger | X | | | | |
| 62067 | T-201A | Straight Flex Auger | X | | | | |
| 62995 | T-202 | Bulb Auger 11/8" OD | X | | | | |
| 63000 | T-203 | Bulb Auger 7% OD | X | | | | |
| 54837 | T-204 | "C" Cutter 1" | X | | | | |
| 63005 | T-205 | "C" Cutter 13%" | X | | | | |
| 52812/ 52817/ 52822 | T-230/ T-231/T-232 | H-D "C" Cutter 2"/ 21/2"/ 3" | x | | | | |
| 63010 | T-206 | Funnel Auger- 3" | X | | | | |
| 63015/63020/ 63025 | T-207/T-208/ T-209 | Sprial Cutter 1½"/ 1½"/ 2" | X | | | | |
| 63030/ 63035/ 63040 | T-210/T-211/T-212 | Spade Cutter 11/4"/ 13/4" | X | | | | |
| 63045/ 63050/ 63055 | T-213/T-214/T-215 | 4-Blade Cutter 1"/ 1%"/ 1%" | X | | | | |
| 63060 | T-216 | Chain Knocker 2" | X | | | | |
| 63065 | T-217 | Drop Head 4" Long | X | | | | |
| 63220/63080/63070/63280 | T-221/T-220/T-219/T-218 | Flue Brush 1½"/ 2"/ 2½"/ 3" | X | | | | |
| 55457 | T-225 | Straight Retrieving Auger | | | | | |
| 62850 | T-101 | | X | | | | |
| 62855 | T-101 | Straight Auger | | X | | | |
| | | Funnel Auger | | X | | | |
| 27642 | T-125 | Straight Retrieving Auger | | X | | | |
| 62860 | T-103 | Sawtooth Cutter 2½" | | X | | | |
| 62865 | T-104 | "H" Cutter 2½" | | Х | | | |
| 62870 | T-105 | Grease Cutter 2½" | | Х | | | |
| 62875 | T-106 | Grease Cutter 3½" | | Х | - | | |
| 62880 | T-107 | Spade Cutter 1¾" | | Х | | | |
| 62915/ 62920/ 62925 | T-109/ T-110/ T-111 | Sprial Sawtooth Cutter 1½", 2¼" & 3" | | Х | | | |
| 62930 | T-112 | 4-Blade Cutter 1¾" | | Х | | | |
| 62935 | T-113 | 4-Blade Cutter 3" | | Х | | | |
| 62940 | T-114 | Chain Knocker | | Х | | | |
| 98050 | T-150 | Three Blade 3",4", 6" | | Х | X | Х | Х |
| 98055 | T-150-1 | Sharktooth Cutter 3" | | Х | X | Х | Х |
| 98060 | T-150-2 | Sharktooth Cutter 4" | | Х | Х | Х | Х |
| 62840 | T-1 | Straight Auger | | | Х | Х | Х |
| 61800 | T-2 | Heavy Duty Straight Auger | | | Х | Х | Х |
| 63105 | T-3 | Funnel Auger | | | Х | Х | Х |
| 61790 | T-4 | Heavy Duty Funnel Auger | | | Х | Х | Х |
| 63190 | T-5 | Straight Retrieving Auger | | | Х | Х | Х |
| 63195 | T-6 | Funnel Retrieving Auger | | | Х | Х | Х |
| 63200 | T-7 | Hook Auger | | | Х | Х | Х |
| 63205/ 63210 / 62845 | T-8/ T-9/ T-10 | Grease Cutter 2½"/ 3½"/ 4½" | | | Х | Х | Х |
| 59480 | T-11 | "H" Cutter 2½" | | | х | х | Х |
| 59485 | T-12 | "H" Cutter 3½" | | | Х | Х | Х |
| 61970 | T-13 | Sawtooth Cutter 2½" | | | Х | Х | Х |
| 61975 | T-14 | Sawtooth Cutter 3½" | | | Х | Х | Х |
| 61770 | T-15A | Expanding Cutter 4"-6" | | | Х | Х | Х |
| 61825 | T-15B | Expanding Cutter 6"-8" | | | Х | Х | Х |
| 61960/ 61850/ 61855 | T-16/T-17/ T-18 | Sprial Bar Cutter 4"/6"/8" | | | Х | х | Х |
| 59625/ 63075/ 63085 | T-21/ T-22/ T-23 | Sprial Sawtooth Cutter 2½"/ 3½"/ 4½" | | | Х | Х | Х |
| 59765/ 59770/ 59775/ 59780 | T-24/T-25/T-26/T-26A | 4-Blade Cutter 2½"/ 3½"/ 4½"/ 5½" | | | Х | х | Х |
| 63110/63115/63120 | T-31/ T-32/ T-33 | Chain Knocker 3"-4"/ 4"-6"/ 6"-8" | | | Х | Х | Х |
| 63145/ 63150/ 63155/ 63160/ | T-38/ T-39/ T-40/ T-41/ | Flue Brush 1½"/ 2"/ 2½"/ 3"/ | | | | | |
| 63165/ 63170/ 6315/ 63240/ | T-42/ T-43/ T-44/ T-45/ | 3½"/ 4"/ 4½"/ 5"/ | | | X | x | х |
| 36180/ 36185 | T-46/ T-47 | 5½"/ 6" | | | | | |
| 98030 | T-50 (3 Blades- 3", 4" & 6") | Sharktooth Cutter 3"/ 4"/6" | 1 | | X | х | Х |
| 98035 | T-50-1 | Sharktooth Cutter 3" | | | X | X | X |
| 98040 | T-50-2 | Sharktooth Cutter 4" | | | X | X | X |
| 1 | | Out.of 1 | | | <u> </u> | | |



1350 PSI and a two-sided pulse action makes for fast effective cleaning of lines.



The 16 HP gas engine provides up to 3000 PSI to easily clear main lines from 2" to 10".

WATER JETTERS

Restore Drains to Their Full Free Flowing Capacity
Expand Services - Best Solution for Soft Blockages
Electric and Gas Powered for Residential or Commercial Use

RIDGID Water Jetters allow you to expand your business with additional service offerings. Fully clear grease obstructions in home and commercial applications. From 1350 to 3000 PSI and in both electric and gas models, RIDGID has the right jetter for you.

Professional Results. RIDGID Water Jetters propel a flexible hose through drain lines blasting through sludge, soap and grease blockages. As you pull the hose back, it scrubs the line, flushing debris away and restoring drains to their freeflowing capacity.

APPLICATION Chart



KJ-1350



KJ-1750



KJ-2200



KJ-3100

| | | | SINK LINES | |
|-------------------|------------------|------------------|---------------------|------------|
| APPLICATION: | | FLO(| DR/SECONDARY DRAINS | |
| APPLICATION: | | | | LATERALS |
| | | | | MAIN LINES |
| LINE SIZE: | 1½" - 4" | 11/4" - 4" | 11/4" - 6" | 2" - 10" |
| MAXIMUM PRESSURE: | 1350 psi | 1750 psi | 2200 psi | 3000 psi |
| FLOW: | 1.4 gpm | 1.4 gpm | 2.4 gpm | 5.5 gpm |
| POWERED BY: | Electric 15 amp. | Electric 20 amp. | Gas Engine | Gas Engine |
| HORSEPOWER: | 1.5 HP | 2 HP | 6.5 HP | 16 HP |
| WEIGHT: | 68 Lbs. | 73 Lbs. | 63 Lbs. | 275 Lbs. |

KJ-1350 WATER JETTER



KJ-1350 - For 11/4" to 4" (32-100 mm) Drain Lines

- Powerful: Actual working pressure of 1350 psi and flow of 1.4 GPM for fast, effective cleaning of lines.
- Pulse Action: Activate the Model KJ-1350's pulse action to easily negotiate difficult bends and traps. The Model KJ-1350-2 has a second level of pulse.
- Portable and Compact: The optional Model H-10 Cart rolls the jetter and hose to the
 job site. Jetter and hose reel are easily removed from the cart in seconds for hard-to
 reach drains or remote storage. The compact cart offers a retractable handle and
 swivel hose reel minimizing storage space. Optional adapter allows the Model KJ-1350
 to be mounted on the upright Model H-30 Cart.
- Electrical Requirement: The 1.5 HP motor draws a maximum of 14 amps and can run on most standard 115 volt circuits.
- Approved by CSA to CSA and UL Standards (115V only).

KJ-1750 WATER JETTER

Model KJ-1750-C on Model H-30 Cart



KJ-1750 - For 11/4" to 4" (32-100 mm) Drain Lines

- Powerful: Actual working pressure of 1750 psi and flow of 1.4 GPM for fast, effective cleaning of lines.
- Pulse Action: Two levels of pulse are standard. Activate the Model KJ-1750's pulse action to easily negotiate difficult bends and traps.
- Portable: The optional Model H-30 Cart rolls the jetter and hose to the job site. The
 jetter is easily removed from the cart in seconds for hard-to-reach drains or for remote
 storage. Optional adapter allows the Model KJ-1750 to be mounted on the compact
 Model H-10 Cart.
- Electrical Requirement: The 2.0 HP motor draws a maximum of 17 amps which requires a 20 amp, 115 volt circuit.
- Approved by CSA to CSA and UL Standards (115V only).

Machine Options (115V)

| CATALOG No. | MODEL NO. | DESCRIPTION | WT. |
|------------------|--|---|----------------------|
| 62587 | KJ-1350 Standard Jetter with Dual Pulse - H-21, H-22, and H-24 1/4" NPT Nozzles - 25' x 1/4" Sink Trap Hose - Nylon Storage Bag - Nozzle Cleaning Tool | | 70 lb. (31,7 kg) |
| 62597 | KJ-1350-C | Above With: - H-10 Cart - 100' x ¾6" Trap Hose | 120 lb. (54,4 kg) |
| 63107 | KJ-1350-2 | KJ-1350 Jetter with Dual Pulse — H-21, H-22, and H-24 1/4" NPT Nozzles — 50' x 1/4" Sink Trap Hose — Nylon Storage Bag — Nozzle Cleaning Tool | 72 lb. (32,7 kg) |
| 63112 KJ-1350-2C | | Above With: - H-10 Cart - 100' x ¾6" Trap Hose | 122 lb. (55,3 kg) |

Machine Options (115V) cont.

| CATALOG No. | MODEL NO. | DESCRIPTION | WT. |
|----------------|--|--|----------------------|
| 62687 | KJ-1750 Jetter with Dual Pulse - H-41, H-42, and H-44 ½" NPT Nozzles - H-51 and H-52 ¼" NPT Nozzles - 50' x ½" Sink Trap Hose - Nylon Storage Bag - Nozzle Cleaning Tool | | 75 lb. (34,0 kg) |
| 62697 | KJ-1750-C | Above With: — H-30 Cart — 110' x ½" Jet Hose | 155 lb. (70,3 kg) |
| 67332 | KJ-1750-SC | 62687 with: – H-10 Cart – 100' x ¾s" Trap Hose | 125 lb. (56,7 kg) |

KJ-2200 WATER JETTER



Model KJ-2200



For 11/4" to 6" (32-150 mm) Drain Lines

This jetter propels a highly flexible hose through $1\frac{1}{4}$ " to 6" lines — blasting through sludge, soap and grease blockages. As you pull the hose back, it power scrubs the line flushing debris away, restoring drain lines to their full, free-flowing capacity.

- Powerful: Actual working pressure of 2200 psi and flow of 2.4 GPM for fast, effective cleaning of lines.
- Easy to Use: Thrust propels the hose down the line. You simply guide the hose into the drain.
- Pulse Action: Activate the Model KJ-2200's pulse action to easily negotiate difficult bends and traps.
- Portable: The optional Model H-30 cart rolls the jetter and hose to the job site. The
 jetter is easily removed from the cart in seconds for hard-to-reach drains, indoor
 applications or remote storage.
- Convenient: Standard equipment includes FV-1 foot valve. It makes remote or indoor operation simple. You control the jetting action at the drain while leaving the jetter outdoors.
- Quality & Dependability: Triplex pump with corrosion-resistant, forged brass head.
 Reduced number of fittings, hoses and parts minimizes leaks and down time,
 keeping you on the job.
- Versatile: Optional power washer package cleans cables, tools and other heavily soiled equipment.
- New and improved 6.5 HP recoil start gasoline engine starts easily. Features: ON/OFF switch; choke and throttle controls; easy access oil fill and dip stick.
- Approved by CSA to CSA and UL Standards (115V only).

Machine Options

| CATALOG No. | IIEXI:RIPIIIN | | |
|----------------|---------------|--|---------------------|
| 63877 KJ-2200 | | KJ-2200 Jetter with Pulse - H-61, H-62, and H-64 1/8" NPT Nozzles - H-71 and H-72 1/4" NPT Nozzles - 75' x 3/16" Trap Hose - FV-1 Foot Valve - Nozzle Cleaning Tool - H-1235 Wash Wand Hose 1/2" x 35' | 65 lb. (29,5 kg) |
| 63882 | KJ-2200-C | Above With: - H-30 Cart - 110' x ¼" Jet Hose | 145 lb. (65,8kg) |

KJ-3100 WATER JETTER





For 2" to 10" (50-250 mm) Drain Lines

The RIDGID Model KJ-3100 portable water jetter gives you 3000 psi actual working pressure to handle large commercial and industrial applications. This jetter propels a highly flexible and lightweight hose through 2" to 10" lines — blasting through sludge, soap, grease, and sediment blockages. As you pull the hose back, it power scrubs the line flushing debris away and restoring drain lines to their full, free-flowing capacity — all without the use of harmful chemicals.

- Powerful: Actual working pressure of 3000 psi and flow of 5.5 GPM for fast, effective cleaning of lines.
- Lightweight Hose: Hose with nylon braid provides significant weight reduction and increased flexibility — all without reducing strength. Allows the thrust to propel the hose further down the line.
- Complete: With the Model KJ-3100's removable hose reel, there is no need to purchase
 expensive portable hose reels. Standard packages come equipped to handle indoor
 and remote applications.
- Convenient: Completely remove the hose reel to ease loading onto service trucks.
 Simply rotate the hose reel forward to gain full access to the engine's gas tank and air filter.
- Maneuverable: In the heavy-duty 3000 psi jetter category, the RIDGID KJ-3100 is one
 of the most maneuverable jetters on the market. The unit, on its unique two-wheeled
 cart, easily fits through standard size doors and can negotiate tight turns with the
 greatest of ease.
- Pulse Action: Activate the Model KJ-3100's pulse action to easily negotiate difficult bends and traps.
- Quality & Dependability: Triplex pump with corrosion-resistant, forged brass head.
 Gear reducer allows pump to run at slower (optimal) speed. Reduced number of fittings, hoses and parts minimizes leaks and downtime keeping you on the job.
- Versatile: Power wash package and chemical injector system cleans cables, tools, and other heavily soiled equipment.
- Quick Start: 16 HP recoil start gasoline engine starts easily. Features: ON/OFF switch; fuel shutoff; choke and throttle controls; easy access oil fill and dip stick.
- Approved by CSA to CSA and UL Standards (115V only).

Machine Options

| CATALOG No. | MODEL No. | DESCRIPTION | WT. |
|----------------|--------------|--|--|
| 37413 | KJ-3100 | KJ-3100 Jetter with Pulse - H-111 and H-112 1/4" NPT Nozzles - RR3000 Root Ranger Nozzle - H-38 Hose Reel with 200" x 3/6" ID Jet Hose - 50' x 3/6" ID Jet Wash Hose - FV-1 Foot Valve - Nozzle Cleaning Tool - HW-30 Wash Wand | 272 lb. (125 kg) 214 lb. (97 kg) w/o Hose Reel |



THE MOST COMPREHENSIVE WAY TO CLEAN DRAINS, FROM START TO FINISH.

From industry-leading inspection tools to customer service technology, take advantage of the complete line of drain and cleaning equipment. It's the best way to get the job done quickly and effectively.



SeeSnake® Inspection Equipment

Investigate farther, faster, better.

The extensive range of RIDGID SeeSnake® and handheld inspection cameras, push cables, reels and video monitors offers durability and ease-of-use to identify problems quickly.



RIDGID Locating Equipment

Get to the root of the issue.

A full line of rugged RIDGID locators and transmitters is available to meet your needs for fast and accurate locating of buried utilities, including electric, water, gas, oil, telecom, cable and sewer. These tools are an ideal complement to RIDGID video pipe inspection and drain cleaning equipment.



RIDGID Drain Cleaning Equipment

The right equipment for any job, anywhere.

No matter what you need in a drain cleaning machine, there is a RIDGID product just right for you. From sink machines to drum, sectional, rodder and water jet machines, you can depend on RIDGID to have the right tool and accessories to meet your exact needs.



RIDGIDConnect[™] Online Business Tool

The simplest, fastest way to share critical information.

RIDGIDConnect™ is the online business tool that works with your digital equipment to streamline record keeping, communication and collaboration. Designed for professionals who create or use digital media, RIDGID Connect makes it easy to share, store and simplify. See www.ridgidconnect.com.

©2013 RIDGID, Inc. All sales subject to Ridge Tool Company Terms and Conditions of Sales. 999-997-702.10 RIDGID Elyria, Ohio U.S.A. • 800.769.7743 • RIDGID.com



