

RIDGID



RIDGID

PRESSING

PRODUCT CATALOG



BUILT FOR THOSE WHO KNOW™

When you work in the skilled trades, you leave your mark on every job you touch. Your reputation is built over time. Day by day, job by job.

When it's your name on the line, make sure our name is on your tool. For nearly 100 years, we've built our legacy the same way you have — one job at a time. We make tools that stand up to the toughest challenges and last long enough for you to pass them down to the next generation. We deliver a better way to work.

It's more than our promise. We guarantee it.



TABLE OF CONTENTS



10

RP 340 PRESS TOOL



12

RP 240 PRESS TOOL



13

RP 241 PRESS TOOL



14

PEX-ONE/MANUAL PRESS TOOLS



16

STANDARD JAWS



17

COMPACT JAWS



18

TIGHT ACCESS PRESS RINGS



19

STANDARD XL-C™ AND XL-S PRESS RINGS



20

PRESS BOOSTER



22

MEGAPRESS® JAWS AND RINGS



23

MEGAPRESS PRESS-IN
BRANCH CONNECTOR



24

SOIL PIPE CUTTER



25

RIDGID LINK APP

PRESS CONFIDENTLY. PRESS WITH THE BEST.

RIDGID® press tools save you time and money by delivering reliable performance press after press. Every generation of press tools works harder – and smarter – than the last. We are constantly working to reduce in-use tool weight while increasing overall performance. That's why we are the #1 press tool manufacturer since 1999.

RIDGID: BUILT FOR THOSE WHO KNOW.™



PRESS CONNECTIONS
ON A "WET" SYSTEM.



LOWER TOTAL
INSTALLATION COST.



WATERTIGHT PRESS
CONNECTIONS IN 5
SECONDS OR LESS.



REDUCES VITAL
EQUIPMENT SHUTDOWNS.



NO OPEN FLAMES.
NO BURN PERMITS.
NO ONSITE FIRE WATCH.



#1 IN NORTH AMERICA

RIDGID® revolutionized the North American Market by introducing press technology in 1999. Since that time, RIDGID has become the most recognizable and trusted brand for press tools. To this day, the RP 340 stands as the number #1 selling press tool in North America.

TESTED UNDER PRESSURE.

RIDGID tools are tested under the toughest conditions to ensure that each tool will work properly in any environment. RIDGID designers, testers and engineers work closely with Viega®, the global leader in press fittings, to deliver secure connections with every press. RIDGID press tools stand up to every test in the field because they've already passed the hardest ones in the lab.




CHANGING THE GAME.


RIDGID® is the top press tool in North America due to constant innovation. It introduced the first lithium ion battery for pressing, the first soil pipe cutter actuated by a press tool, the first tools for pressing iron pipe and the first power tool specifically designed to press PEX copper ring systems. Most recently, RIDGID introduced its Press Booster for use with Viega® MegaPress® XL fittings, the first tool able to press steel pipe 2½" to 4".

SMALLER. FASTER. SMARTER.

Today, every generation of RIDGID press tools works harder and smarter than the last. The RP 340, for example, is nearly half the weight of its original predecessor. The RP 240 and RP 241 are more than two pounds lighter than the RP 100B, the original compact press tool. Current models also come equipped with Bluetooth® compatibility, so the tools can interface with RIDGID Link, an app that tracks tool performance, tells you where the tool was last seen and delivers helpful service reminders among other features. RIDGID Link easily interfaces with both iOS and Android phones and tablets.



BEVELLER
AUGUST 6, 2014




THE BEST NEVER REST.

With more than 100 patents already secured and more on the way, RIDGID® continues to deliver a better way to work. Every press tool, jaw or ring is purpose-built based on feedback from the field. This history of field-driven innovation – coupled with the industry's best lifetime warranty – makes RIDGID the most trusted brand for trade professionals all around the world.



PIPE WRENCH MAY 26, 1922



Patented Aug. 11, 1925,

UNITED STATES PATENT OFFICE.

WILLIAM O. THEWES OF RIDGEVILLE, OHIO, ASSIGNOR TO THE RIDGE TOOL COMPANY, OF NORTH RIDGEVILLE, OHIO, A CORPORATION OF OHIO.




Fig. 1




Fig. 2

POWER DRIVE
SEPTEMBER 30, 1958

FIG. 1

the sliding jaw moves and are made in one continuous unit and in which the cross sectional area increases steadily from the tip of the handle toward the head of the wrench, not only in the direction of thickness but in the direction of breadth as well.

To provide further details of improvement to increase the efficiency and serviceability of a wrench of the above general character. To accomplish the foregoing and other useful ends, my invention makes use of the following:

FIG. 1



PRESS TOOLS

#1 IN PRESS TOOLS SINCE 1999.

RIDGID® press tools are unsurpassed in making quick and reliable connections on copper, steel, stainless steel and PEX tubing. No open flames. No mess. Just secure connections in less than five seconds – wet or dry.

KEY FEATURES

- | FLAMELESS SYSTEM
- | FASTER CONNECTIONS
- | ALL-DAY POWER

RIDGID



RP 241



RP 240



RP 340



PEX-ONE™

**APPLICATION
CHART**

| | COMPACT PRESS TOOLS | | STANDARD PRESS TOOL | PEX TOOL |
|-------------------------------------|----------------------------------|----------------------------------|--------------------------------|----------------------------------|
| WEIGHT (TOOL AND BATTERY): | 5.2 lbs. | 5.2 lbs. | 8.3 lbs. | 5.9 Lbs. |
| BATTERY: | 12V Advanced Lithium 2.5 Battery | 12V Advanced Lithium 2.5 Battery | 18V Advanced Lithium 2 Battery | 12V Advanced Lithium 2.5 Battery |
| VIEGA PROPRESS® COMPATIBLE: | ½" - 1¼" | ½" - 1¼" | ½" - 4" | N/A |
| VIEGA PUREFLOW™ COMPATIBLE: | ¾" - 1½" | ¾" - 1½" | ½" - 2" | N/A |
| ASTM F 1807 COMPATIBLE: | ½" - 1¼" | ½" - 1¼" | N/A | ½" - 1" |
| VIEGA MEGAPRESS® COMPATIBLE: | ½" - ¾" | ½" - ¾" | ½" - 4" | N/A |

RP 340 PRESS TOOL

CAPACITY: ½" TO 4" (COPPER, STEEL AND STAINLESS STEEL); ½" TO 2" (PEX)

- ▶ **WEIGHT**
Tool Only – 7.3 lbs.
Tool with Battery – 8.3 lbs.
Tool with Battery and ½" Jaws – 12.3 lbs.
- ▶ **HYDRAULIC RAM OUTPUT**
7,200 lbs. (32kN)
- ▶ **CYCLE TIME**
~4 Seconds
- ▶ **SERVICE INTERVAL**
42,000 Cycles
- ▶ **POWER**
18V Advanced Lithium Battery
400+ Crimps Per Charge using Advanced Lithium 4 Battery
Optional AC Power Adapter
- ▶ **OPERATING TEMPERATURE RANGE**
15°F to 122°F (-10°C to 50°C)
- ▶ **LIGHTING**
Large LED Light
- ▶ **180° BARREL/JAW SWIVEL**
- ▶ **COMPATIBILITY**
RIDGID® Standard Series Press Jaws and Attachments



- **WORLD'S #1 PRESS TOOL**
Industry leader in press tools.
- **ALL-DAY POWER**
18V Advanced Lithium 4 battery delivers 400 presses per charge.
- **MULTI-FUNCTIONAL**
World's most versatile press tool.

See pages 16, 18, 19, 22, 23 and 24 for compatible jaws, rings and accessories.

RP 340 Battery Press Tool

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|---|------------|
| 43358 | RP 340 Battery Press Tool Kit with ½" - 2" ProPress® Jaws | 51.0 |
| 43353 | RP 340 Battery Press Tool Kit with ½" - 1" ProPress Jaws | 31.0 |
| 43348 | RP 340 Battery Press Tool Kit without Jaws | 19.0 |
| 44483 | RP 340 Press Tool Only | 7.3 |

All RP 340 battery kits include the RP 340, 2 18V Advanced Lithium 2 batteries, battery charger and carrying case.

RP 340 Corded Press Tool

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|---|------------|
| 43373 | RP 340 Corded Press Tool Kit with ½" - 2" ProPress Jaws | 48.0 |
| 43368 | RP 340 Corded Press Tool Kit with ½" - 1" ProPress Jaws | 28.0 |
| 43363 | RP 340 Corded Press Tool Kit without Jaws | 16.0 |
| 44483 | RP 340 Press Tool Only | 7.3 |

All RP 340 Corded tool kits include the RP 340 Corded Tool, power adapter, and carrying case.

Accessories

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|---------------------------------------|------------|
| 43378 | RP 340 Press Tool Carrying Case | 8.0 |
| 44798 | Charger Replacement Cord (N. America) | 0.3 |
| 44468 | 120V AC Power Adapter | 1.0 |



RP 340 Battery Tool with ProPress Jaws



RP 340 Corded Tool with ProPress Jaws



18V Advanced Lithium Battery


RP 240 PRESS TOOL

CAPACITY: ½" TO ¼" (COPPER AND STAINLESS STEEL); ⅜" TO 1½" (PEX); ½" TO ¾" (STEEL)

- ▶ **WEIGHT**
Tool Only – 4.8 lbs.
Tool with Battery – 5.3 lbs.
Tool with Battery and ½" Jaws – 7.4 lbs.
- ▶ **LENGTH:** 13"
- ▶ **HEIGHT:** 9.5"
- ▶ **HYDRAULIC RAM OUTPUT**
5,400 lbs. (24kN)
- ▶ **CYCLE TIME**
~5 Seconds
- ▶ **SERVICE INTERVAL**
32,000 Cycles
- ▶ **BATTERY**
12V Advanced Lithium 2.5
- ▶ **CHARGE**
140+ Crimps Per Charge
- ▶ **OPERATING TEMPERATURE RANGE**
15°F to 140°F (-10°C to 60°C)
- ▶ **LIGHTING**
Large LED Light
- ▶ **180° BARREL/JAW SWIVEL**
- ▶ **COMPATIBILITY**
RIDGID® Standard Series Press Jaws and Attachments



12V Advanced Lithium 2.5 Battery



- ▶ **COMPACT POWER**
15% smaller and 10% lighter than its predecessor.
- ▶ **BETTER BALANCE**
Ergonomic, pistol-grip design for all-day comfort.
- ▶ **TOTALLY CONNECTED**
Bluetooth® syncs tool to RIDGID Link app.  

See pages 17, 18 and 22 for compatible jaws and rings.

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|--|------------|
| 57398 | RP 240 Kit with ½" - 1¼" ProPress® Jaws | 24.5 |
| 57403 | RP 240 Kit with ½" - 1" ProPress Jaws | 22.5 |
| 57408 | RP 240 Kit with ½", ¾" and 1" PureFlow™ Jaws | 22.5 |
| 57413 | RP 240 Kit without Jaws | 14.5 |
| 57418 | RP 240 Press Tool Only | 6.5 |

All RP 240 Kits include the RP 240, 2 12V Lithium-Ion batteries, battery charger, and carrying case. (Excluding Press Tool Only Kit).

Accessories

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|----------------------|------------|
| 55183 | 12V Battery | 0.5 |
| 55193 | 12V Battery Charger | 1.5 |
| 57393 | Carrying Case RP 241 | 1.0 |

RP 241 PRESS TOOL

CAPACITY: ½" TO 1¼" (COPPER AND STAINLESS STEEL); ⅜" TO 1½" (PEX); ½" TO ¾" (STEEL)

- ▶ **WEIGHT**
Tool Only – 4.8 lbs.
Tool with Battery – 5.3 lbs.
Tool with Battery and ½" Jaws – 7.4 lbs.
- ▶ **LENGTH:** 15.8"
- ▶ **HEIGHT:** 4.25"
- ▶ **HYDRAULIC RAM OUTPUT**
5,400 lbs. (24kN)
- ▶ **CYCLE TIME**
~5 Seconds
- ▶ **SERVICE INTERVAL**
32,000 Cycles
- ▶ **BATTERY**
12V Advanced Lithium 2.5
- ▶ **CHARGE**
140+ Crimps Per Charge
- ▶ **OPERATING TEMPERATURE RANGE**
15°F to 140°F (-10°C to 60°C)
- ▶ **LIGHTING**
Large LED Light
- ▶ **180° BARREL/JAW SWIVEL**
- ▶ **COMPATIBILITY**
RIDGID® Standard Series Press Jaws and Attachments




12V Advanced Lithium 2.5 Battery

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|--|------------|
| 57363 | RP 241 Kit with ½" - 1¼" ProPress® Jaws | 24.5 |
| 57373 | RP 241 Kit with ½" - 1" ProPress Jaws | 22.5 |
| 57378 | RP 241 Kit with ½", ¾" and 1" PureFlow™ Jaws | 22.5 |
| 57383 | RP 241 Kit without Jaws | 14.5 |
| 57388 | RP 241 Press Tool Only | 6.5 |

All RP 241 Kits include the RP 241, 2 12V Lithium-Ion batteries, battery charger, and carrying case. (Excluding Press Tool Only Kit).

Accessories

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|----------------------|------------|
| 55183 | 12V Battery | 0.5 |
| 55193 | 12V Battery Charger | 1.5 |
| 57393 | Carrying Case RP 241 | 1.0 |



- ▶ **COMPACT POWER**
25% smaller and 10% lighter than its predecessor.
- ▶ **TOTAL VERSATILITY**
Ergonomic, inline design presses in tight spaces.
- ▶ **TRACK CRIMPS**
Bluetooth® syncs tool to RIDGID Link app.  

See pages 17, 18 and 22 for compatible jaws and rings.


PEX-ONE™ BATTERY OPERATED PEX TOOL

CAPACITY: ½" TO 1" (ASTM F 1807)

- ▶ **WEIGHT**
Tool Only – 5 lbs.
Tool with Battery and Dies – 5.9 lbs.
- ▶ **LENGTH:** 16.5"
- ▶ **CYCLE TIME**
~5 Seconds
- ▶ **SERVICE INTERVAL**
20,000 Cycles
- ▶ **BATTERY**
12V Advanced Lithium 2.5
- ▶ **CHARGE**
150+ Crimps Per Charge
- ▶ **LIGHTING**
Large LED Light



- ▶ **ONE-HANDED OPERATION**
Free your other hand to guide the connection.
- ▶ **ACCESS TIGHT SPACES**
Lightweight, inline design for hard-to-reach areas.
- ▶ **POWER THROUGH**
More than 150 crimps on a single charge.



½" - 1" capacity

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|--|------------|
| 54253 | PEX-One Kit with ½" - 1" ASTM F1807 Dies | 10.0 |
| 56638 | PEX-One Tool Only | 5.0 |

Dies

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-----------------------------|------------|
| 56568 | ½" - 1" ASTM F1807 Dies Set | 1.0 |
| 56573 | ½" ASTM F1807 Die | 0.4 |
| 56578 | ¾" ASTM F1807 Die | 0.3 |
| 56583 | 1" ASTM F1807 Die | 0.3 |

Accessories

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|------------------------------|------------|
| 55183 | 12V Li-Ion Battery | 0.5 |
| 55193 | 12V Battery Charger | 1.5 |
| 56608 | RIDGID® Bag, 20", Soft-Sided | 3.4 |



MANUAL PRESS TOOLS

CAPACITY: ½" TO 1"

- ▶ Available sizes: ½", ¾", 1" and ½" and ¾" combo tool
- ▶ Easily adjustable lock screw for tool calibration
- ▶ All tools come standard with a go/no-go gauge

ASTM F 1807 Traditional PEX Crimp Tool



ASTM F 1807 Close Quarters PEX Crimp Tool

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|----------------------------------|------------|
| 23448 | ½" PEX Crimp Tool | 2.9 |
| 23458 | ¾" PEX Crimp Tool | 2.9 |
| 23463 | 1" PEX Crimp Tool | 3.0 |
| 23468 | ½" and ¾" PEX Combo Tool | 3.5 |
| 43853 | ½" PEX Close Quarters Crimp Tool | 2.1 |
| 43858 | ¾" PEX Close Quarters Crimp Tool | 2.3 |

Accessories

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|---------------------------|------------|
| 23473 | ¾"- ¾" ASTM F 1807 Gauge | 1.0 |
| 23478 | 1" ASTM F 1807 Gauge | 1.0 |
| 29583 | ¾" - 1" ASTM F 1807 Gauge | 1.0 |

LESS FORCE

33% less force required compared to traditional PEX crimp tools.

LIGHTER WEIGHT

Glass-filled polycarbonate handles make the tool 20% lighter than traditional PEX crimp tools.

ALL DAY COMFORT

E³® (Expert Engineered Ergonomics) handles provide increased feel and usability.

STANDARD JAWS FOR VIEGA® PROPRESS® OR PUREFLOW™ - ½" TO 2"

FOR USE WITH RP 340, RP 330, 320-E, CT 400



Jaws For ProPress (Copper and Stainless)

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|----------------------|------------|
| 76652 | ½" Jaw for ProPress | 4.0 |
| 76657 | ¾" Jaw for ProPress | 4.3 |
| 76662 | 1" Jaw for ProPress | 4.5 |
| 76667 | 1¼" Jaw for ProPress | 4.8 |
| 76672 | 1½" Jaw for ProPress | 6.5 |
| 76677 | 2" Jaw for ProPress | 10.0 |

Jaws For PureFlow (PEX)

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|----------------------|------------|
| 22653 | ½" Jaw for PureFlow | 4.0 |
| 22658 | ¾" Jaw for PureFlow | 4.3 |
| 22663 | 1" Jaw for PureFlow | 4.5 |
| 22668 | 1¼" Jaw for PureFlow | 4.8 |
| 22673 | 1½" Jaw for PureFlow | 6.5 |
| 35343 | 2" Jaw for PureFlow | 10.0 |



COMPACT JAWS FOR VIEGA® PROPRESS®, PUREFLOW™ OR ASTM F 1807 - ½" TO 1½"

FOR USE WITH RP 241, RP 240, RP 210-B, RP 200-B, RP 100-B

Copper and Stainless



Jaws For ProPress (Copper and Stainless)

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|----------------------|------------|
| 16958 | ½" Jaw for ProPress | 2.5 |
| 16963 | ¾" Jaw for ProPress | 2.5 |
| 16978 | 1" Jaw for ProPress | 2.5 |
| 31228 | 1¼" Jaw for ProPress | 2.5 |



PEX for Viega PureFlow

Jaws For PureFlow (PEX)

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|----------------------|------------|
| 17003 | ¾" Jaw for PureFlow | 2.5 |
| 17008 | ½" Jaw for PureFlow | 2.5 |
| 19813 | ¾" Jaw for PureFlow | 2.5 |
| 17013 | ¾" Jaw for PureFlow | 2.5 |
| 17018 | 1" Jaw for PureFlow | 2.5 |
| 22683 | 1¼" Jaw for PureFlow | 2.5 |
| 22688 | 1½" Jaw for PureFlow | 2.5 |



ASTM F1807 (PEX)

Jaws For ASTM F 1807 (PEX)

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-------------------------|------------|
| 22958 | ½" Jaw for ASTM F 1807 | 2.5 |
| 22968 | ¾" Jaw for ASTM F 1807 | 2.5 |
| 22973 | 1" Jaw for ASTM F 1807 | 2.5 |
| 22978 | 1¼" Jaw for ASTM F 1807 | 2.5 |

TIGHT ACCESS PRESS RINGS - 1/2" TO 2"

FOR VIEGA® PROGRESS® COPPER AND STAINLESS FITTINGS

- V1 and V2 Kits are designed for RIDGID® Standard Press Tools.
- C1 Compact Kits are designed for RIDGID Compact Press Tools.

Kits

| CATALOG NO. | MODEL NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-----------|--|------------|
| 27423 | V1 | V1 Kit, 1/2", 3/4", 1", 1 1/4" Ring | 10.8 |
| 27428 | V2 | V2 Kit, 1 1/2", 2" Ring | 13.6 |
| 28043 | C1 | C1 Kit, 1/2", 3/4", 1", 1 1/4" Ring | 8.1 |
| 28048 | V1/C1 | V1/C1 Combo Kit, 1/2", 3/4", 1", 1 1/4" Ring | 12.9 |

PureFlow Jaws (PEX)

| CATALOG NO. | MODEL NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-----------|-------------------|------------|
| 27998 | V1/C1 | 1/2" Press Ring | 0.5 |
| 28003 | V1/C1 | 3/4" Press Ring | 0.8 |
| 28008 | V1/C1 | 1" Press Ring | 1.0 |
| 28013 | V1/C1 | 1 1/4" Press Ring | 1.0 |
| 28018 | V2 | 1 1/2" Press Ring | 1.5 |
| 28023 | V2 | 2" Press Ring | 2.0 |

Actuators

| CATALOG NO. | MODEL NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-----------|-------------------------------|------------|
| 28033 | V1 | V1 Actuator for 1/2" - 1 1/4" | 4.9 |
| 21878 | V2 | V2 Actuator for 1 1/2" - 2" | 4.8 |
| 26163 | C1 | C1 Actuator for 1/2" - 1 1/4" | 2.1 |

Accessories

| CATALOG NO. | MODEL NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-----------|------------------------------------|------------|
| 28028 | V1/C1 | Carrying Case #1 for 1/2" - 1 1/4" | 3.0 |
| 28038 | V2 | Carrying Case #2 for 1 1/2" - 2" | 3.0 |



180° swivel improves access to tight spaces.

STANDARD RINGS - 2½" TO 4"

FOR VIEGA® PROPRESS® XL-C™ COPPER FITTINGS
 AND XL-S STAINLESS FITTINGS

FOR USE WITH RP 340, RP 330, RP 320, CT 400



SAVE TIME

Connect 2 ½" to 4" copper and stainless in 5 seconds.

ALL THE RIGHT ANGLES

Ball-tip V2 actuator swivels 180° for use in tight spaces.

| CATALOG NO. | MODEL NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-----------|-----------------------------------|------------|
| 20483 | XL-C | 2½" - 4" Rings, Actuator and Case | 40.3 |
| 20543 | XL-C/S | 2½" Press Ring | 6.0 |
| 20548 | XL-C/S | 3" Press Ring | 9.8 |
| 20553 | XL-C/S | 4" Press Ring | 11.8 |
| 21878 | V2 | V2 Press Ring Actuator | 7.8 |
| 21103 | XL-C | XL-C Carrying Case Only | 7.8 |

**PRESSING
MEGAPRESS®**

PRESS BOOSTER

**FOR USE WITH VIEGA®
MEGAPRESS XL FITTINGS**

PATENTED 180° SWIVEL
FOR GREATER ACCESS



AUTOMATIC LOCK
KEEPS ACTUATOR
IN PLACE UNTIL THE
PRESS IS COMPLETE



INCREASES
OUTPUT OF
THE RP 340
OR RP 330

PRESS BOOSTER

FOR USE WITH VIEGA® MEGAPRESS XL FITTINGS

CAPACITY: 2½" TO 4" (STEEL)

GO BIGGER

The only tool on the market that presses steel pipe up to 4".

CONNECT FASTER

Flameless system connects pipe in less than 25 seconds.

Kits

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|--|------------|
| 60638 | Press Booster Kit with 2½" - 4" MegaPress XL | 52.5 |

For use with RIDGID® Standard Press Tools with Press Booster (RP 340, RP 330).

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|--------------------------------|------------|
| 60643 | 2½" Ring for MegaPress XL | 5.9 |
| 60648 | 3" Ring for MegaPress XL | 7.1 |
| 60653 | 4" Ring for MegaPress XL | 9.9 |
| 60658 | Press Booster For MegaPress XL | 21.6 |



STANDARD JAWS AND RINGS FOR VIEGA® MEGAPRESS - 1/2" TO 2"

FOR USE WITH RP 340, RP 330, 320-E, CT 400

- ▶ Save time and cost by press connecting steel pipe
- ▶ Flameless system eliminates the need for hot work permits
- ▶ Jointly developed and tested with Viega

Kits

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-------------------------|------------|
| 48553 | 1/2" - 2" MegaPress Kit | 48.5 |
| 48558 | 1/2" - 1" MegaPress Kit | 23.1 |

Jaws, Rings and Actuators

| CATALOG NO. | DESCRIPTION | WEIGHT LB. | INCLUDED IN | |
|-------------|---------------------------|------------|-------------|-------|
| | | | 48553 | 48558 |
| 37958 | 1/2" Jaw for MegaPress | 4.9 | ✓ | ✓ |
| 37963 | 3/4" Jaw for MegaPress | 5.2 | ✓ | ✓ |
| 37968 | 1" Jaw for MegaPress | 6.8 | ✓ | ✓ |
| 21878 | V2 Ring Actuator | 6.7 | ✓ | — |
| 37973 | 1 1/4" Ring for MegaPress | 6.0 | ✓ | — |
| 37978 | 1 1/2" Ring for MegaPress | 6.5 | ✓ | — |
| 37983 | 2" Ring for MegaPress | 6.0 | ✓ | — |

Accessories

| CATALOG NO. | DESCRIPTION | WEIGHT LB. | INCLUDED IN | |
|-------------|---|------------|-------------|-------|
| | | | 48553 | 48558 |
| 37993 | 1/2" - 1" MegaPress Prep Tool | 1.8 | — | — |
| 37988 | 1 1/4" - 2" MegaPress Prep Tool | 2.5 | — | — |
| 38008 | Abrasive Strips (Box of 10) 1/2" - 1" | 0.3 | — | — |
| 38003 | Abrasive Strips (Box of 10) 1 1/4" - 2" | 0.3 | — | — |
| 48563 | MegaPress Carrying Case | 6.4 | ✓ | ✓ |



COMPACT JAWS FOR MEGAPRESS - 1/2" TO 3/4"

FOR USE WITH RP 241, RP 240, RP 210-B, RP 200-B, RP 100-B

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|------------------------|------------|
| 48433 | 1/2" Jaw for MegaPress | 3.0 |
| 48438 | 3/4" Jaw for MegaPress | 3.2 |



NEW

MEGAPRESS PRESS-IN BRANCH CONNECTOR INSTALLATION KIT

QUICKLY MAKE ¾" BRANCHES OFF 1½" TO 6" PIPE

- ▶ Flameless system for use with water, compressed air, select industrial gas and low-pressure steam systems
- ▶ Saves time and eliminates the need for hot work permits
- ▶ Compatible with all RIDGID® standard press tools (RP 340, RP 330, RP 320, CT-400)
- ▶ Includes: drill guide, arbor (works with standard handheld drill), expander, alignment guides and vac adapters



| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|-------------------------------------|------------|
| 50953 | MegaPress Press-In Branch Connector | 15.8 |

Kit Standard Equipment

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|---|------------|
| 50958 | Drill Guide | 6.5 |
| 31743 | Vacuum Adapters | 1.0 |
| 50963 | Expander | 1.5 |
| 50968 | Arbor Shaft Assembly | 1.4 |
| 62008 | Fitting Positioning Guides | 4.4 |
| 62013 | MegaPress Press-In Branch Connector Carrying Case | 2.0 |



PRESS SNAP™ SOIL PIPE CUTTER

**CAPACITY: CUTS 1½" TO 4" NO HUB
AND SERVICE WEIGHT SOIL PIPE**

- ▶ Compatible with all RIDGID® 32kN press tools
- ▶ Standard Kit: Press Snap cutter, case and operator's manual



EXPANDED CAPABILITIES

Attaches to RIDGID 32kN press tools to cut cast iron soil pipe.

NO SCORING

Eliminates the need to score the pipe.

ACCESS IS A SNAP


No lengthy lever arms like traditional soil pipe cutters.

Press Snap Soil Pipe Cutter

| CATALOG NO. | DESCRIPTION | WEIGHT LB. |
|-------------|----------------------------------|------------|
| 34403 | Press Snap Soil Pipe Cutter Kit | 12.0 |
| 34678 | Press Snap Soil Pipe Cutter Case | 3.4 |

RIDGID LINK.

DOWNLOAD THE APP AND GET CONNECTED.



SMARTER TOOLS WITH THE RIDGID LINK APP.
Track tool data and maximize jobsite performance.



COUNT

- Track tool usage with smart, cycle counter

SERVICE

- Know how many crimps until service
- Use location to find a RIDGID® service center near you

BATTERY

- App shows real-time battery life

LOCATE

- See the location of where your RIDGID Link enabled tool was last seen

SUPPORT

- Easily find operator's manuals, videos and more

HOW TO GET STARTED:

1. Download the RIDGID Link app from Apple Store or Google Play.
2. Open the app and sign in using your RIDGID.com credentials or create new account.
3. Follow on-screen instructions to register your tool.



Contact Information: 888.743.4333 | RIDGID.com