

SAFETY DATA SHEET INFORMATION

RIDGID Product Name: RIDGID Hydraulic Oil

RIDGID Product Catalog No.: N/A

Vendor Name: ENERPAC

Vendor Product Name: LX 70 Hydraulic

Use in RIDGID Products: 258/258XL Power Pipe Cutters Hydraulic Pump

918 Roll Groover Hydraulic Pump 920 Roll Groover Hydraulic Pump

Restrictions on Use: NA

SDS Information – See following sheets for manufacturer SDS

Ridge Tool Contact Information:

North America <u>Australia</u> <u>Europe</u>

Ridge Tool Company
400 Clark Street
Elyria, Ohio 44035-6001
1-800-519-3456
Ridge Tool Australia
127 Metrolink Circuit
Campbellfield, VIC 3061
1-800-743-443
Ridge Tool Europe NV (RIDGID)
Schurhovenveld 4820
3800 Sint-Truiden, Belgium
+32 (0) 11 598 640

Operating Standard: 6-202

Issue Date: June 4, 2015

Revision: F

RIDGE TOOL BELIEVES THE STATEMENTS, TECHNICAL INFORMATION AND RECOM-MENDATIONS CONTAINED HEREIN ARE RELIABLE BUT THEY ARE GIVEN WITHOUT WARRANTY OR GUARANTEE OF ANY KIND, EXPRESSED OR IMPLIED, AND WE ASSUME NO RESPONSIBILITY FOR ANY LOSS, DAMAGE OR EXPENSE, DIRECT OR CONSEQUENTIAL, ARISING OUT OF THEIR USE.



Enerpac, A Division of Actuant N86 W12500 Westbrook Crossing Menomonee Falls, WI 53051

Phone: (262) 293-1500 Fax: (262) 293-7040

SAFETY DATA SHEET

Issue Date 04-June-2015

Revision Date 04-June-2015

This is our current SDS file. Any change(s) will result in an updated SDS file.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name LX 70 Hydraulic

CM50885 LX104 (Drums),LX101(Gallons)

Other means of identification

Product Code 117
Revision Number 2584
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

U.S. Lubricants A Division of U.S. Venture, Inc. 425 Better Way Appleton, WI 54915

Emergency telephone number

Company Phone Number 800-490-4900

24 Hour Emergency Phone Number 800-688-4005 DTCG84-01-A-900043

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation

Category 2B

Label elements

Emergency Overview

Warning

Hazard statements

Causes eye irritation

Appearance Viscous Physical state Liquid Odor Mild Petroleum

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses (if present and easy to do). Continue rinsing. If eye irritation persists: Get medical advice/attention

- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	90-99	*
Zinc alkyldithiophosphate	4259-15-8	< 1	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact If skin irritation persists, call a physician. Wash contaminated clothing before reuse. Wash

with soap and water.

Inhalation Remove to fresh air.

Ingestion Do NOT induce vomiting. Get medical attention. Drink 1 or 2 glasses of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

UNUSUAL FIRE & EXPLOSION HAZARDS

Toxic Fumes may be evolved on burning or exposure to heat. Pressure may increase in overheated closed containers. Store below 120°F

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas. Stop leak if you can do it without risk.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Prevent product from entering drains. Pick up and

transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

fume/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Keep containers tightly closed in a dry, cool and well-ventilated

place. Store at temperatures not exceeding 120°F.

Incompatible materials Incompatible with oxidizing agents. Incompatible with strong acids and bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective nitrile or Neoprene™ gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General Hygiene Considerations Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Viscou

AppearanceViscousOdorMild Petroleum

Color Light amber Odor threshold No information available

Property <u>Values</u> <u>Remarks • Method</u>

pH Essentially Neutral

Melting point/freezing pointNo information availableBoiling point / boiling rangeNo information available

Flash point 375°F

Evaporation rate Less than 0.01 (@1ATM and 25°C.

n-butyl acetate=1

Flammability (solid, gas)

Flammability Limit in Air

No information available

Upper flammability limit: 10% (Estimated Value) Lower flammability limit: 1% (Estimated Value) Vapor pressure Less than 0.01 mm HG Vapor density Greater than 1 (Air=1) **Specific Gravity** 0.845 lbs/gal: 7.03 Water solubility Insoluble in water Solubility in other solvents No information available Partition coefficient No information available

Autoignition temperature

Decomposition temperature

Kinematic viscosity

Dynamic viscosity

Explosive properties

No information available
14-16.4 cSt@ 40°C
No information available
No information available
No information available
No information available

Other Information

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) Negligible

Density No information available Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

Not Applicable

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Strong oxidizing agents. Heat, flames and sparks.

Incompatible materials

Incompatible with oxidizing agents. Incompatible with strong acids and bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause

irritation of respiratory system.

Eye contact Contact with eyes may cause irritation.

Skin Contact Prolonged contact may cause redness and irritation.

Ingestion Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities

may cause nausea and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc alkyldithiophosphate	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
4259-15-8	= 5100 Hig/kg (Nat)	> 5000 Hig/kg (Nabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritationIrritating to skin.
Irritating to eyes.

Irritation May cause skin and eye irritation. PROLONGED OR REPEATED CONTACT MAY DRY

SKIN AND CAUSE IRRITATION.

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	A2	Group 1		X
hydrotreated heavy paraffinic				
64742-54-7				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

0.16% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Petroleum distillates,		5000: 96 h Oncorhynchus		1000: 48 h Daphnia magna
hydrotreated heavy paraffinic		mykiss mg/L LC50		mg/L EC50
64742-54-7				
Zinc alkyldithiophosphate	1.0 - 5.0: 96 h	10.0 - 35.0: 96 h Pimephales		1 - 1.5: 48 h Daphnia magna
4259-15-8	Pseudokirchneriella	promelas mg/L LC50		mg/L EC50
	subcapitata mg/L EC50	semi-static 1.0 - 5.0: 96 h		
		Pimephales promelas mg/L		
		LC50 static		

Persistence and degradability

÷

Chemical Name	Partition coefficient
Zinc alkyldithiophosphate 4259-15-8	2.86

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	California Hazardous Waste Status
Zinc alkyldithiophosphate 4259-15-8	Toxic

14. TRANSPORT INFORMATION

DOT Not regulated

ICAO (air) Not regulated

<u>IATA</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA All components of this material are on the US TSCA Inventory or are exempt.

DSL/NDSL All components are in compliance with the Canadian Environmental Protection Act and are

present on the Domestic Substances List.

EINECS/ELINCS

Does not comply

Does not comply

Does not comply

Does not comply

Comply

Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	SARA 313 - Threshold Values %
Zinc alkyldithiophosphate - 4259-15-8	4259-15-8	1.0
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc alkyldithiophosphate 4259-15-8		Х		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zinc alkyldithiophosphate	X		X
4259-15-8			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical Properties
HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection X

 Issue Date
 04-June-2015

 Revision Date
 04-June-2015

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet